STONYHURST COLLEGE OBSERVATORY.

Lat. 53° 50′ 40° N. Long. 9^{m.} 52° .68 W. Height of the Barometer above the Sea, 381 feet.



(FOUNDED 1838)

Results of
Meteorological, Magnetical,
Seismological Observations,

With Report and Notes of the Director, REV. W. SIDGREAVES, S.J., F.R.A.S.

BLACKBURN:
THOMAS BRIGGS (Blackburn) LTD., PRINTERS, 73, NORTHGATE.
1917.



CONTENTS.

Report and Notes of the Director	•••	•••	•••	v.
Solar and Astro-physical Notes	•••	•••	•••	x,
Astronomical	•••		•••	XIII.
Seismological	•••	•••	•••	xIII.
Monthly Meteorological Tables	•••	•••	•••	1
Yearly Meteorological Summary	•••	•••	•••	25
Extreme Readings during 69 years	•••	•••	•••	27
Dates of Occasional Phenomena	•••	•••		29
Monthly Totals of Recorded Sunshine	for each	hour	•••	30
Total amount of Sunshine recorded on	each da	y	<u>:</u>	31
Summary of Sunshine	•••	•••	•••	33
Summary of Sunshine: Monthly extrem	nes duri	ng 3 6 y	rears	34
Magnetic Report: 1. Horizontal Direction and Fo	orce de	duced i	from	
daily curves	•••	•••	•••	35
2. Absolute Measures—Summary	,	•••	•••	37
3. Magnetic Disturbances, 1916	•••	•••	•••	38
Dates of Solar Observations and Disc A	reas of	Spots	irom	
the Drawings, 1916	•••		•••	39
Presentations to the Library		•••	•••	40



REPORT AND NOTES.

Meteorological.—The meteorological continuous records have been uninterrupted during the year.

The wind is recorded by a Robinson's Anemograph at about 45 feet above the ground. A velocity of 37 miles per hour and over is called a gale.

Bright sunshine is recorded by a Campbell-Stokes Recorder.

The Rain Gauge is a Beckley Self Recorder. Its receiving surface is 22 inches above the ground, and 377 feet above sea-level. The daily measures are taken at 10 a.m. for the preceding 24 hours. Heavy rain, noted in the monthly tabulations, signifies a fall of 4 inch or more during the day.

The Barometer is a standard barometer of the pattern approved by the Meteorological Office. It is now mounted, with a photo-barograph, in the underground Magnetic chamber. Its cup is 363 feet above sealevel. Its readings in the monthly tables are quoted for the density of mercury at 32° Fahr., and for the original position of the barometer at 381 feet above sea-level; and the mean pressures are corrected for diurnal range.

The Thermometers are the property of the Meteorological Office. They are mounted at 7 feet above the

ground on the north side of the Observatory, enclosed in a Stevenson Screen. All the readings are corrected for index errors, as determined by the Office-standards.

The monthly mean temperature is derived in two ways: 1st, from the mean of the highest and lowest daily readings corrected by the average difference between this mean and the true mean of the hourly tabulations; and 2nd, from the mean of the readings at 9 a.m. and 9 p.m. corrected in the same manner. Both corrections have been furnished by the Greenwich records, and are taken from the well-known Glaisher's tables. The Adopted mean temperature is the mean of these two results.

The year, on the whole, may be described as mild, cloudy, and wet. Barometric pressure, temperature, and wind-force were all very moderate and uniform throughout the year. There have been no extremes of heat or cold. The highest temperature in the shade was only 77°, on July 22nd, and the lowest 23°·2, on December 6th. The yearly range of temperature is thus 12° below the average. Shade temperatures of 70° and over occurred on 23 days, viz.: 4 in May, 7 in July, 11 in August, and 1 in September.

August was the warmest month of the year at mean temperature 50.6. But January was relatively much the warmest month at mean temperature 44°.7, which is not only 7°.2 above its average and the highest yet recorded for January, but exceeds, slightly, the average temperature of the month of April. December at mean temperature 36°.1 was the coldest month,

but March was relatively colder at mean temperature 37.0, which is 3° below its average.

The duration of bright sunshine was 205 hours short of the yearly average. The months of June, March and July show the chief deficiencies, while August and December were the only months favoured with more than their average amount.

The yearly rainfall, notwithstanding a fall of over 10 inches in October, was only 2.325 inches above the average. The number of rainy days was 223, against an average of 205. The distribution of rainfall throughout the year shows an excess of 9.416 inches for the 5 months January, February, April, May, and October, and a deficit of 7.091 inches for the remaining 7 months. With reference to the great fall in October, it may be noted that on our Register a month's rain-fall of 10 inches, or more, has been recorded only in the month of October; and this three times in the past 69 years, viz.:—

October,	1870	•••	•••	•••	13-437	ins.
,,	1903	•••	•••	•••	10-830	ins.
••	1916	•••	•••	•••	10-305	ins.

The prevailing wind for the year has been, as usual, from the West, but during the very dry month of March N.E. winds prevailed in the proportion of 3 N.E. to 1 W.; and during the very wet month of October S.W. winds prevailed in the same proportion. Both the mean velocity of the wind and the total run for the year were well below the average, and gale-force (37 miles per hour, or over), was reached on only 3 days,

viz.: January 1st, February 3rd, and 16th, at 41, 44, and 43 miles per hour respectively.

Fine dry periods of the year, not excluding occasional interruptions by slight rains of short duration, may be noted as follows:—February 19th—24th; March 3rd—6th, 17th—24th, 28th—April 9th; April 22nd—May 3rd; May 15th—30th; June 11th—28th; July 16th—August 12th; August 26th—30th; September 4th—10th, 19th—October 1st; November 11th—17th; December 10th—17th. Total, 13 periods, average duration 11 days.

Heavy rains of 1 inch, or more, fell on 11 days, viz.: 1 in January, 2 in April, 1 in August, 1 in September, 5 in October, and 1 in December.

Magnetical.—The Differential Photo-Magnetographs are of the same pattern as those at the Kew Observatory, except that the radial distances between the centres of the magnets and the surfaces of the respective cylinders are somewhat shorter. Time marks on the curves are now made at all the even numbered hours by automatic interruptions of the pencils of light. The interruptions are worked by a relay, which is controlled by a separate clock. This arrangement has the advantage of freeing the time-indications from the errors of any irregular running of the motor-clock.

The scale values of the instruments are as follows:

For the Unifilar ... 11.28' per Cm. of Ordinate.

"""

"""

"""

"""

"""

In connection with these, absolute measures of Horizontal Direction and Force have been made regu-

larly; of the former four times, and of the latter once in each month. These have been corrected by the difference between the curve ordinate at the time of observation and the monthly mean of the four daily readings, according to the rule stated on page xil. of our Report, 1908; but the month-means are now taken from the readings on the ten quietest days of the month.

The inclination, or Dip, has been observed once each month by two needles with Dover's circle No. 159.

The Vertical and Total Forces are deduced from the measures of the Horizontal Force, and the Angle of Inclination or Dip.

On the table of magnetic disturbances (page 38) the following remarks may be of service. There is often some embarrassment in assigning the proper note of magnetic condition to the date. Overlapping of indications cannot be wholly avoided; and some allowance must be made for the subjective impressions of the Recorder. But the general intention of the table is that a calm (c) shall mean a smooth curve; small (s) a disturbance noteworthy only as opposed to a calm; moderate (m) a disturbance not to be neglected for any comparison with other phenomena, solar or terrestrial, and worth a reference to the original curve; greater (g) a marked disturbance; and very great (v.g.) a decided storm.

Corresponding tabulations are sent quarterly to the Meteorological Institute at De Bilt (Holland), for the International Committee on Terrestrial Magnetism. In

these the significant notes are restricted to three—0, 1, 2. The general returns from the Bureau show considerable discordance between the interpretations of different authorities; and it may be well to state the rule followed at this Observatory. The two important notes are held to be 0 and 2: the former meaning a true calm, and the latter a disturbance not less than our note (m); and the intervening note comprises all the rest.

On this list the notes are quoted for the civil day, and may therefore be found occasionally at variance with our own quotations, which are given for the Astronomical day (from noon to noon). It has not been thought well to make any change here; because the convenience for tabulation is very great, when the curve, started at noon, stands for one day; and the risk of clerical errors is notably less.

Solar and Astro-Physical.—The Perry memorial 15" O.G. equatorial, with the Whitelow 6" O.G. camera attached, the Thorp prism equatorial, and the large grating spectrometer, remain under the direction of Fr. Cortie.

The Solar Surface has been observed on 215 days, and 211 drawings have been added to our collection. Of these, 183 are complete, as showing both spots and faculæ, and 25 are complete for all spots, but wanting the faculæ. On four days notes with rough sketches of the spots were made. On two days only the surface was found free from spots.

The mean disc area of the spots (in units of $s\bar{v}\bar{v}\delta\bar{v}$ th of the visible surface) appears at 4.52, closely the same

as last year; and the mean daily range of magnetic Declination (in minutes of arc) at 12·1. These are included in the following table for comparison with the corresponding means of the past five years:—

Year	1911	1912	1913	1914	1915	1916
Spot Area						
Declination range	12.6	8 · 1	9.7	10.2	11.7	12-1

A new projection apparatus, designed and made by Mr. G. J. Gibbs, F.R.A.S., consisting of an aluminium collar and bicycle rods, was fitted to the equatorial during the year. It is found to be very light and rigid.

During the year, in the summer months, some very good and detailed drawings of the faculæ were made by Mr. W. McKeon, a list of which follows. It would be an interesting study to compare them with spectroheliograms in hydrogen and calcium light obtained on the same dates. Applications for such records have quite recently been made.

Dates on which good drawings of Faculæ were secured for comparison with spectroheliograms:—

1916.				G.M.T.	
May	28	•••	•••	9-3010-15	a.m.
,,	29	•••	•••	8-35-10-0	,,
,,	3 0	•••	•••	8- 2- 8-50	,,
June	2	•••	•••	7-33 8-55	**
June	3	•••	•••	7- 8 8-40	,,
,,	6	•••	•••	7-6-8-5	,,
,,	10	•••	•••	8-15 9-35	**
**	11	•••	•••	7-10 8- 5	,,
,,	14	•••		9-50-10-15	,,

1916.				G.M.T.	
,,	15	•••	•••	7-20-8-55	a.m.
,,	16		•••	7- 8 7-5 0	,,
,,	17	•••		7-12 8-15	,,
,,	28		•••	7-20— 8-2 0	,,
July	4	•••		9-8-10-0	,,
,,	2 0		•••	7-13 8- 5	,,
,,	22		•••	8-5010- 0	•;
,,	23	•••		7-30 9- 0	,,
,,	23	•••		9-20-10-30	,,
,,	24		. 	7-23 9- 5	,,
,,	25		•••	7-23 —10- 0	,,
,,	27			9-45-11-20	,,
,,	2 9			7-30-10-20	,,
Aug.	1		•••	8-34 9-45	ij
,,	6			7-13 7-40	,,
,,	7			7-25— 8-15	1,
,,	8		•••	7-14 8-40	,,
,,	10	•••		7-34 9- 0	,,
,,	11			8-4010-10	"
Sept.	24		•••	7-37— 8-20	,,

The spectra of a few spots were photographed in the red region of the spectrum, with the large grating spectrograph, and a few visual observations were also made. These observations confirm the essential permanence of the spot-spectrum since the year 1882.

Owing to the want of assistance, due to the war, work with the Whitelow camera has been in abeyance. With the Thorp prismatic equatorial spectra have been secured of the following stars: o Ceti at two maxima, a Orionis, a Canis Minoris, a Leonis, the Nebula of Orion, and the planets Mars and Saturn.


Astronomical.—In our last Report we had the satisfaction of acknowledging the kind permission of the late Postmaster-General to re-erect our Radiotele-graphic apparatus. Now we have to express our regret that the Military Authorities have requested the suppression of the installation. We have pressed our claim to an exception, in our favour, from the general policy against private wireless installations, but without avail. We have, therefore, to rely upon fine evenings for our time service by the transit instrument. Happily the chronometer has shown a very constant rate during long intervals of cloudy skies, and the rectification of our longitude by the Paris Wireless time signals has been deferred to better days, when the serious defects of the transit instrument can be remedied.

Seismelogical.—A short account of the Seismograph is given on page xiii. of our Annual, 1909. It is of the Milne photographic pattern, and is mounted with horizontal pendulum, or boom, in the astronomical meridian. A copy of its register is sent monthly to the Secretary of the Seismological Committee of the British Association for the Advancement of Science. This contains many small disturbances of uncertain origin, which do not appear in our occasional bulletins distributed amongst the Seismic stations at home and abroad; they have to await confirmation by other Observatories. The instrument has been in constant service throughout the year. But it is now considered out of date and to be only of second rate value. The natural period of the boom in oscillation is too closely the same as that of the earth transmitting a shock; and the result is a series of interferences, which throws doubt upon the true time of the greatest displacement. We hope to

find a remedy with a mechanical device for damping the oscillations of the boom. But for this we have to await the return of better times, when the Observatory staff may have recovered its normal efficiency.

The following papers have been published during the year:—

- 1.—Some remarks on the formation of Sun-Spots Monthly Notices R.A.S. 76, pp. 404—407. Plate 6.
- 2.—The Efficiency of Sun-Spots in relation to the Mean Daily Range of Terrestrial Magnetic Declination. Ibid. pp. 631—634.
- 3.—The Colours and Spectra of the Stars. Journal Manchester Astronomical Society. No. 3, pp. 1—16. Plates I.—III.



METEOROLOGICAL REPORT.

JANUARY, 1916.

Results of Observations	taken	durin	g the	Mont	h.		the	n for last cars.		
Mean Reading of the Barome	ter		i	nches	29	·613	29	488		
Highest ,, ,, on	the	31st .		,,	30	.095	30	128		
Lowest ,, ,, on	., .,									
Range of Barometer Readings	s			,,	1	·513	1	544		
Highest Reading of a Max. T	herm	. on 1	he 61	h		54·0	1 5	51 · 3		
Lowest Reading of a Min. Ther	m. o	n the	14th		:	29 · 4	2	21 · 3		
Range of Thermometer Readi	Range of Thermometer Readings 24.6									
Mean of Highest Daily Readin	ngs .					48.8	4	12 · 4		
Mean of Lowest Daily Readin	gs .		· · · · · ·			40·0	3	33·0		
Mean Daily Range						8.8		$9 \cdot 4$		
Deduced Mean Temp. (from me	ean o	f Max	. and	Min	.) .	44·2		3 7 · 4		
Mean Temperature from Dry	Bulb	•				45·2		37 · 6		
Adopted Mean Temperature .						14·7	3	3 7 · 5		
Mean Temperature of Evapor	ation			<i>.</i>		43·3	3	36 ⋅ 3		
Mean Temperature of Dew Po	oint .					11 · 7	, ,	34 · 2		
Mean elastic force of Vapo	ur		iı	nches	0	·264	0.	199		
Mean weight of Vapour in a c	ub. f	t. of a	air, g	rains		3.0	1	$2 \cdot 4$		
Mean additional weight require	ed fo	r satu	ratio	n ,,		0.4	į	0.4		
Mean degree of Humidity (sati	urati	on 10	D)			90	İ	87		
Mean weight of a cubic foot of	of air	·	g	rains	54	13∙6	54	9.6		
Mean amount of Cloud (0-10)					8 · 4		7·8		
Fall of Rain		• • • • • •	i1	iches	4	· 67 0		230		
Greatest Rainfall in one day (6th)				1	.000		818		
No. of days on which '005 in.	or m	ore F	tain 1	fell		26	1	$9\cdot 2$		
Wind:—Direction	N	NE	E	SE	S	sw	w	NW		
No. of days	0	1	0	0	7	9	14	0		
Mean Velocity in miles per hr.	0	2.8	0	0	12·7	15.3	16.6	0		
Total No. of miles	0	67	0	0	2132	3296				
								an*		
Total No. of miles registered					110	189	821	1 · 0		
Greatest hourly velocity (1st.						41	4	1 · 4		

JANUARY, 1916.

DIFFERENCES.

The signs + and — mean respectively above and below the Monthly average.

Mean barometric pressure			•••	+	0·125 in.
Monthly range ,,	•••	•••	•••		0.031 in.
Mean of highest daily temperate	ures	•••	•••	+	6·4°
Mean of lowest ,, ,,		•••	•••	+	7·0°
Mean daily range	•••	•••	•••		0.6°
Adopted mean temperature	•••	•••	•••	+	7·2°
Total rainfall	•••		•••	+	0.440 in.

Ground Frost on 12th, 14th, 23rd, and 27th. Hail on 7th. Heavy rain on 6th and 20th. Gales of wind on 1st and 13th.

The mean temperature is the highest on record for January. The figure, 44°-7, just exceeds the average for the month of April.

EXTREME READINGS FOR JANUARY, During 69 Years.

Highest reading of Barometer	1896 (9th)30 · 597 in.
Lowest,	1884 (26th)27 803 in.
Highest temperature	1877 (7th) 59·9°
Lowest	1881 (15th) 4·6°
Highest adopted mean temperature	1916 44·7°
Lowest ,,	1881 29·2°
Greatest fall of rain	1910 8·403 in.
Least	1881 0·472 in.
Greatest fall of rain in one day	1914 (8th) 2.074 in.
Greatest No. of days on which	
·005 in. or more rain fell	1890 30
	†1850 8
*Greatest hourly velocity of wind	1899 (12th) 63 mls.
"Greatest No. of miles registered	1890 11661
*Least ,, ,,	1881 4352

FEBRUARY, 1916.

Results of Observations	taken	durin	g the	Mont	h.		th	an fo e last years
Mean Reading of the Barome	eter			inche	s 29	286	29	.487
Highest ,, ,, or	n the	1st	•••	,,	29	•995	30	.093
Lowest ,, ,, or	n the	4th	•••	,,	28	· 440	28	638
Range of Barometer Reading	ζs			,,	1	.555	1	·455
Highest Reading of a Max. T	Chern	n. on	the	16th .		50 · 4	.	52 ·0
Lowest Reading of a Min. T	herm	. on	the 2	21st		27 · 8		22 · 4
Range of Thermometer Read	ings					22.6		29 · 6
Mean of Highest Daily Readi	ngs					42 · 4		44.0
Mean of Lowest Daily Reading	ngs					33 · 7		33 · 5
Mean Daily Range						8.7		10 - 5
Deduced Mean Temp. (from n	nean	of Ma	x. &	Min.)	37 · 7		38 · 2
Mean Temperature from Dry						38 · 1		38 · 4
Adopted Mean Temperature	 .			· • • • • •		37 · 9		38 ·3
Mean Temperature of Evapor						35 · 6	1	36 ·8
Mean Temperature of Dew Pe						32.5		34 · 5
Mean elastic force of Vapour						· 185	0	· 195
Mean weight of Vapour in a c						2.1	1	2.4
Mean additional weight requir				-		0.6		0.4
Mean degree of Humidity (sa						82		86
Mean weight of a cubic foot of						45 · 4	5	48·5
Mean amount of Cloud (0-10						7.2	1	7.5
Fall of Rain						·730	3	• 535
Greatest Rainfall in one day						·730	0	· 759
No. of days on which '005 in.						22		16.9
Wind:—Direction	N	NE	E	SE	s	sw	w	NW
No. of days	3	8	0	0	3	4	9	2
Mean Velocity in miles per hr.	7.7	10.9	0	0	15.0	10.9	16.5	4.9
Total No. of miles	553	210 2	0	0	1082	1043	3571	235
Total No. of Miles registered			by I	2 \	. •	586 44	Me: 769	
Greatest hourly velocity (3rd,	5 a.	u., S.	by I	٠.) ٠.		-17		

FEBRUARY, 1916.

DIFFERENCES.

The signs + and — mean respectively above and below the Monthly average.

Mean barometric pressure	•••	•••	•••		0·201 in.
Monthly range ,,	•••	•••	•••	+	0·100 in.
Mean of highest daily temper	atures	•••	•••	_	1.6°
Mean of lowest		·	•••	+	0·2°
Mean daily range	•••	•••	•••		1 · 8°
Adopted mean temperature	•••	•••	•••		0·4°
Total rainfall	•••	•••	•••	+	1·195 in.

Ground frost on 1st, 5th, 9th, 10th, 12th, 15th, 17th, 20th—29th. Snow on 9th, 11th, 14th—17th, 22nd—29th. Hail on 7th, 8th, 9th, 14th—17th. Heavy rain on 6th and 18th. Gales of wind on 3rd and 16th. Thunder on the 9th. Solar halo on 10th, 13th, and 20th.

EXTREME READINGS FOR FEBRUARY, During 69 Years.

Highest reading of Barometer	1902 (1st)30 476 in.
Lowest ,,	1900 (19th)27.870 in.
Highest temperature	1877 (8th) 58·3°
Lowest ,,	1902 (11th) 5·0°
Highest adopted mean temperature	1869 44·0°
Lowest ,,	1855 28·6°
Greatest fall of rain	1848 8·882 in.
Least ,,	1858 0·306 in.
Greatest fall of rain in one day	1909 (3rd) 2.000 in.
Greatest No. of days on which	
'005 or more rain fell	1910 27
Least	1855 4
Circutest hourly velocity of wind	1903 (27th) 60 mls.
"Greatest No. of miles registered	1868 12577
*Least ,, ,,	1886 4251

MARCH, 1916.

Results of Observations	taken	durin	g the	Month	1.		the	u fo last rears
Mean Reading of the Barome	eter .		i	nches	29	280	29	· 44 5
Highest ,, ,, or	the	31st		,,	29	941	30	·040
	the	26 th	•••	,,	28	3 • 600	28	· 63 9
Range of Barometer Reading	s			,,	1	-341	1	· 4 01
Highest Reading of a Max. T	herm	on t	the 3	lst		53.0	1 :	56 · 9
Lowest Reading of a Min. Tl	herm.	on t	he 23	3rd		23.8	1 :	23 · 2
Range of Thermometer Readi	ings .					29 · 2	1 :	33 · 7
Mean of Highest Daily Readi	ngs .					41 - 4	1 4	47 · 0
Mean of Lowest Daily Reading	igs .					32.9		34 · 3
Mean Daily Range						8.5	1 :	12.7
Deduced Mean Temp. (from n	nean	of Ma	x. &	Min.)		36 · 2	1 :	39 · 7
Mean Temperature from Dry						37.8	4	40 · 2
Adopted Mean Temperature						37 · 0	4	10 · 0
Mean Temperature of Evapor						35 · 1	1 :	38 · 1
Mean Temperature of Dew Po	oint .			· • • • • • •		32 · 4	:	35 · 7
Mean elastic force of Vapour			ir	iches	0	184	0	209
Mean weight of Vapour in a c						2.1		2.4
Mean additional weight requir						0.5	-	0.5
Mean degree of Humidity (sa						84	1	85
Mean weight of a cubic foot					5	46.5	54	16 · 1
Mean amount of Cloud (0-10						7.9	1	7.5
Fall of Rain	, 	. .	ir	ches	1	.925	3.	398
Greatest Rainfall in one day (1					0	.330	0.	773
No. of days on which '005 o				ü		20	1	6.8
Wind:—Direction	N	NE	F	SE	S	sw	w	NW
No. of Days	10	12	1	0	0	3	4	1
Mean Velocity in miles per hr.	8.8	10.8	14 - 1	0	0	12.4	15.0	5.0
Total No. of miles	2116	3130	339	0	0	894	1443	119
a processing a process of the contract of the							Me	an*
Total No. of Miles registered .					я	041	855	3.0
Greatest hourly velocity (23th.					·	30	4	1 · 2
Circulest nourry velocity (2 nn.	Jas	11. 171		• . , • • •			i	

MARCH, 1915.

DIFFERENCES.

The signs + and — mean respectively above and below the Monthly average.

Mean barometric pressure	•••	•••	•••		0·165 in.
Monthly range ,,	•••	•••	•••		0.060 in.
Mean of highest daily temper	atures	•••			5·6°
Mean of lowest ,, ,,			•••		1·4°
Mean daily range	•••	•••	•••		4·2°
Adopted mean temperature		•••	•••		3·0°
Total rainfall	•••	•••		_	1·473 in.

Ground frost on 1st—15th, 17th, 22nd—30th. Snow on 2nd, 3rd, 6th—8th, 9th—13th, 23rd—28th. Hail on 6th, 12th, 22nd, 24th—27th. Lunar halo-on 17th. Solar halo on 3rd, 17th, 18th, 27th, 28th, and 29th.

EXTREME READINGS FOR MARCH, During 69 Years.

Highest reading of Barometer	1854 (4th)30·452 in.
Lowest " "	1876 (10th)28 · 100 in.
Highest temperature	1871 (25th) 68·0°
Lowest	1874 (10th) 11·1°
Highest adopted mean temperature	1871 44·0°
Lowest ,,	1883 34·4°
Greatest fall of rain	
Least	1852 0·352 in.
Greatest fall of rain in one day	
Greatest No. of days on which	, company and a company
	†1861 28
Least	1852 3
*Greatest hourly velocity of wind	1905 (15th) 57 mls.
"Greatest No. of miles registered	1903 12773
*Least " " "	1892 5725

AF	RIL	., 19	916.					n fo	
Results of Observations taken during the Month.									
Mean Reading of the Barom	eter .		i	nche	s 2 9	.435	29	· 48 9	
Highest ,, ,, on the 1st ,, 29.951									
Lowest ,, ,, or	ı the	18th		,,	28	606	28	· 8 03	
Range of Barometer Reading	s			·· .	1	·345	1	·149	
Highest Reading of a Max. T						67 · 6	i '	65 · 1	
Lowest Reading of a Min. T						30 · 8		28 · 2	
Range of Thermometer Read						36 · 8		36 · 9	
Mean of Highest Daily Readi	ngs .					52·0		54 · 8	
Mean of Lowest Daily Reading	•					38 · 5		37 · 8	
Mean Daily Range						13.5	ı	17 ·0	
Deduced Mean Temp. (from n	nean	of Ma	x. &	Min.))	43·8	1	44·1	
Mean Temperature from Dry					•	45 · 5	1	44·8	
Adopted Mean Temperature						44 · 7	l l	44 · 5	
Mean Temperature of Evapor						42·2		41 · 7	
Mean Temperature of Dew Pe						39 · 3		38 ⋅3	
Mean elastic force of Vapour						· 241	0	0.235	
Mean weight of Vapour in a c			-		;	2.8		2.7	
Mean additional weight requir						0.6	1	0.7	
Mean degree of Humidity (sa			,			81		80	
Mean weight of a cubic foot of			-		_	40·7	54	12 · 1	
Mean amount of Cloud (0-10						5.7	_	6.7	
Fall of Rain				iches		·570		568	
Greatest Rainfall in one day (1				••	_	·010	1	595	
No. of days on which '005 in.	or m	ore I	Rain i	ell		14	1	4.8	
Wind:—Direction	N	NE	E	SE	s	sw	w	NW	
No. of days	2	3	1	1	3	1	17	2	
fean Velocity in miles per hr. 4.3 5.3 8.3 8.3 15.3 2.9 1									
l'otal No. of Miles	206	378	200	198	1104	70	5637	230	
			1		<u>'</u>		Me	an*	
					64	23	759		
fotal No. of Miles registered				•••••	80)23 30	1.00	7.0	
ireatest hourly velocity (18th.	3 a.n	n. Dir	·. W.)	•••		3 0	"		

APRIL, 1916.

DIFFERENCES.

The signs + and — mean respectively above and below the Monthly average.

Mean barometric pressure	•••	•••			0.054 in.
Monthly range ,,	•••	•••	•••	+	0·196 in.
Mean of highest daily temper	ratures	•••	• •••	-	2.8°
Mean of lowest ,, ,	,		•••	+	0 · 7°
Mean daily range	•••		•••		3·5°
Adopted mean temperature	•••		•••	+	0 · 2°
Total rainfall		•••	•••	+	2.002 in.

Ground frost on 2nd, 3rd, 5th—8th, 10th, 14th—16th, 22nd, 23rd. Hoar frost on 2nd. Snow on 14th. Hail on 11th, 12th, 14th and 21st. Heavy rain on 11th and 17th. Gale of wind on the 14th. Thunder and lightning on 14th. Lunar halo on 9th. Solar halo on 9th and 28th.

EXTREME READINGS FOR APRIL, During 69 Years.

Highest	reading of B	arometer	1906	(8th)	30·317 in.
Lowest	,,	,,	1868	(20th)	28·358 in.
		*************	1852	(14th)	74·1°
		•••••	1892	(13th)	20·8°
Highest	adopted mea	n temperature	1865		48·5°
7 .		,,			40.70
		•••••	1852		0·478 in.
Greatest	fall of rain i	n one day	1913	(26th)	1·180 in.
		ys on which		` '	
		rain fell	1867	*******	24
	,, ,		1852		4
*Greatest	hourly veloc	ity of wind	1911	(19th)	53 mls.
"Greatest	No. of miles	registered			
*Least	" "	,,			

MAY, 1916.

Mean Reading of the Barometer inches 29·482 29·538 Highest " on the 18th " 29·998 29·998 Lowest " on the 6th " 28·864 28·950 Range of Barometer Readings	Results of Observations	taken	durin	g the	Month	1.		the	an fo			
Highest	Mean Reading of the Barome	ter .		iı	nches	29	· 482	1				
Range of Barometer Readings							.998	29	.992			
Range of Barometer Readings		the	6th			28	-864	28	.95(
Highest Reading of a Max. Therm. on the 19th 75·2 71·7	Range of Barometer Readings											
Range of Thermometer Readings 43.0 39.5 Mean of Highest Daily Readings 58.7 59.4 Mean of Lowest Daily Readings 43.2 42.3 Mean Daily Range 15.5 17.1 Deduced Mean Temp. (from mean of Max. & Min.) 49.3 49.1 Mean Temperature from Dry Bulb 51.7 49.5 Adopted Mean Temperature 50.5 49.5 Mean Temperature of Evaporation 47.7 46.3 Mean Temperature of Dew Point 44.8 42.8 Mean elastic force of Vapour inches 0.297 0.278 Mean weight of Vapour in a cub. ft. of air, grains 3.4 3.1 Mean additional weigh required for saturation 0.8 0.8 Mean weight of a cubic foot of air grains 534.8 Mean amount of Cloud (0—10) 6.7 7.0 Fall of Rain inches 3.120 2.684 Greatest Rainfall in one day (14th) 0.670 0.636 No. of days on which '005 in. or more Rain fell 12 14.6 Wind:—Direction N Res SE SW W NW No. of miles <td< td=""><td>Highest Reading of a Max. The</td><td>herm</td><td>. on t</td><td>he 19</td><td>)th</td><td></td><td>75 • 2</td><td>1</td><td>71 - 7</td></td<>	Highest Reading of a Max. The	herm	. on t	he 19)th		75 • 2	1	71 - 7			
Mean of Highest Daily Readings 58.7 59.4 Mean of Lowest Daily Readings 43.2 42.3 Mean Daily Range 15.5 17.1 Deduced Mean Temp. (from mean of Max. & Min.) 49.3 49.1 Mean Temperature from Dry Bulb 51.7 49.9 Adopted Mean Temperature 50.5 49.5 Mean Temperature of Evaporation 47.7 46.3 Mean Temperature of Dew Point 44.8 42.8 Mean elastic force of Vapour inches 0.297 0.278 Mean weight of Vapour in a cub. ft. of air, grains 3.4 3.1 Mean additional weigh required for saturation 0.8 0.9 Mean weight of a cubic foot of air grains 534.8 537.1 Mean amount of Cloud (0—10) 6.7 7.0 Fall of Rain inches 3.120 2.684 On of days on which '005 in. or more Rain fell 12 14.6 Wind:—Direction N NE E SE S SW W NW No. of days 0 6.7 7.5 0 Mean Velocity in miles per hr. 0 8.8 10.5 0 5.3 5.2 <td>Lowest Reading of a Min. Th</td> <td>erm.</td> <td>on t</td> <td>he 4t</td> <td>h</td> <td></td> <td>32 · 2</td> <td></td> <td>31 • 8</td>	Lowest Reading of a Min. Th	erm.	on t	he 4t	h		32 · 2		31 • 8			
Mean of Lowest Daily Readings 43.2 42.3 Mean Daily Range 15.5 17.1 Deduced Mean Temp. (from mean of Max. & Min.) 49.3 49.1 Mean Temperature from Dry Bulb 51.7 49.3 Adopted Mean Temperature 50.5 49.5 Mean Temperature of Evaporation 47.7 46.3 Mean Temperature of Dew Point 44.8 42.8 Mean elastic force of Vapour inches 0.297 0.278 Mean weight of Vapour in a cub. ft. of air, grains 3.4 3.1 Mean additional weigh required for saturation 0.8 0.9 Mean degree of Humidity (saturation 100) 81 77 Mean weight of a cubic foot of air grains 534.8 537.1 Mean amount of Cloud (0—10) 6.7 7.0 Fall of Rain inches 3.120 2.684 Greatest Rainfall in one day (14th) 0.670 0.636 No. of days on which .005 in. or more Rain fell 12 14.6 Wind:—Direction N N N E SE S SW W N No. of days <td< td=""><td>Range of Thermometer Readir</td><td>ıgs .</td><td></td><td></td><td></td><td></td><td>43 • 0</td><td> ' </td><td>39 • 9</td></td<>	Range of Thermometer Readir	ıgs .					43 • 0	'	39 • 9			
Mean Daily Range 15.5 17.1 Deduced Mean Temp. (from mean of Max. & Min.) 49.3 49.1 Mean Temperature from Dry Bulb 51.7 49.9 Adopted Mean Temperature 50.5 49.5 Mean Temperature of Evaporation 47.7 46.3 Mean Temperature of Dew Point 44.8 42.8 Mean elastic force of Vapour inches 0.297 0.278 Mean weight of Vapour in a cub. ft. of air, grains 3.4 3.1 Mean additional weigh required for saturation 0.8 0.9 Mean degree of Humidity (saturation 100) 81 77 Mean weight of a cubic foot of air grains 534.8 537.1 Mean amount of Cloud (0—10) 6.7 7.0 Fall of Rain inches 3.120 2.684 Greatest Rainfall in one day (14th) 0.670 0.636 No. of days on which .005 in. or more Rain fell 12 14.6 Wind:—Direction N NE E SE SW W NW No. of days 0 0 8.8 10.5 0 5.3 5.2 7.5 <td>Mean of Highest Daily Reading</td> <td>ngs .</td> <td></td> <td></td> <td></td> <td></td> <td>58·7</td> <td></td> <td>59 • 4</td>	Mean of Highest Daily Reading	ngs .					58· 7		59 • 4			
Deduced Mean Temp. (from mean of Max. & Min.) 49·3 49·1	Mean of Lowest Daily Readin	gs .			••••		43·2	.	42 ·3			
Mean Temperature from Dry Bulb 51 · 7 49 · 9 Adopted Mean Temperature 50 · 5 49 · 8 Mean Temperature of Evaporation 47 · 7 46 · 3 Mean Temperature of Dew Point 44 · 8 42 · 8 Mean deant force of Vapour inches 0 · 297 0 · 278 Mean weight of Vapour in a cub. ft. of air, grains 3 · 4 3 · 1 Mean additional weigh required for saturation 0 · 8 0 · 9 Mean degree of Humidity (saturation 100) 81 77 Mean weight of a cubic foot of air grains 534 · 8 537 · 1 Mean amount of Cloud (0—10) 6 · 7 7 · 0 Fall of Rain inches 3 · 120 2 · 684 Greatest Rainfall in one day (14th) 0 · 670 0 · 636 No. of days on which · 005 in. or more Rain fell 12 14 · 6 Wind :—Direction N NE E SE S S W W NW No. of days 0 6 1 0 4 5 15 0 5 · 3 5 · 2 7 · 5 0 Mean Velocity in miles per hr. 0 8 · 8 10 · 5 0 5 · 3 5 · 2 7 · 5 0 Total No. of Miles registered 5353 Mean* Total No. of Miles registered 5353 Mean*	Mean Daily Range						15·5	1	17 - 1			
Adopted Mean Temperature 50.5 49.5 Mean Temperature of Evaporation 47.7 46.3 Mean Temperature of Dew Point 44.8 42.8 Mean elastic force of Vapour inches 0.297 0.278 Mean weight of Vapour in a cub. ft. of air, grains 3.4 3.1 Mean additional weigh required for saturation 0.8 0.9 Mean degree of Humidity (saturation 100) 81 77 Mean weight of a cubic foot of air grains 534.8 537.1 Mean amount of Cloud (0—10) 6.7 7.0 Fall of Rain inches 3.120 2.684 Greatest Rainfall in one day (14th) 0.670 0.636 No. of days on which .005 in. or more Rain fell 12 14.6 Wind:—Direction N NE E SE S S W W NW NW No. of days 0 6 1 0 4 5 15 0 5.3 5.2 7.5 0 Mean Velocity in miles per hr. 0 8.8 10.5 0 5.3 5.2 7.5 0 Total No. of Miles registered 5353 Mean* 7022.4 7022.4	Deduced Mean Temp. (from m	ean (of Ma	x. &]	Min.)		49·3	.	49 · 1			
Mean Temperature of Evaporation 47.7 46.3 Mean Temperature of Dew Point 44.8 42.8 Mean elastic force of Vapour inches 0.297 0.278 Mean weight of Vapour in a cub. ft. of air, grains 3.4 3.1 Mean additional weigh required for saturation , Mean degree of Humidity (saturation 100) 81 77 Mean weight of a cubic foot of air	Mean Temperature from Dry	Bulb					51 · 7	.	49·9			
Mean Temperature of Dew Point 44.8 42.8 Mean elastic force of Vapour inches 0.297 0.278 Mean weight of Vapour in a cub. ft. of air, grains 3.4 3.1 Mean additional weigh required for saturation , 0.8 0.9 Mean degree of Humidity (saturation 100) 81 77 Mean weight of a cubic foot of air	Adopted Mean Temperature.						50 · 5	} .	49·5			
Mean elastic force of Vapour inches 0·297 0·278 Mean weight of Vapour in a cub. ft. of air, grains 3·4 3·1 Mean additional weigh required for saturation , Mean degree of Humidity (saturation 100)	Mean Temperature of Evapor	ation	٠		••••		47·7	1 .	46·3			
Mean weight of Vapour in a cub. ft. of air, grains 3·4 3·1 Mean additional weigh required for saturation , Mean degree of Humidity (saturation 100)							44·8	1				
Mean additional weigh required for saturation , Mean degree of Humidity (saturation 100)	Mean elastic force of Vapour			ir	iches	0		0	· 278			
Mean degree of Humidity (saturation 100)	Mean weight of Vapour in a c	ub. f	t. of	air, g	rains		3.4		3.1			
Mean weight of a cubic foot of air	Mean additional weigh require	ed fo	r satu	ratio	n ,,		0.8		0.9			
Mean amount of Cloud (0—10) 6·7 7·0 Fall of Rain inches 3·120 2·684 Greatest Rainfall in one day (14th) 0·670 0·636 No. of days on which ·005 in. or more Rain fell 12 14·6 Wind:—Direction N NE E SE S SW W NW No. of days 0 6 1 0 4 5 15 0 15 0 Mean Velocity in miles per hr. 0 8·8 10·5 0 5·3 5·2 7·5 0 Total No. of miles 0 1265 253 0 505 620 2710 0 Total No. of Miles registered 5353	Mean degree of Humidity (sat	turat	ion 1	00)			81					
Fall of Rain	Mean weight of a cubic foot of	air .	<i></i>	g	rains	5	34·8	5				
Greatest Rainfall in one day (14th)							6.7		•			
No. of days on which '005 in. or more Rain fell 12 14-6 Wind:—Direction N NE R SE S S W W NW No. of days 0 6 1 0 4 5 15 0 Mean Velocity in miles per hr. 0 8.8 10.5 0 5.3 5.2 7.5 0 Total No. of miles 0 1265 253 0 505 620 2710 0 Total No. of Miles registered 5353	Fall of Rain	•••••		ir	iches	3	· 120					
Wind:—Direction N NE R SE S SW W NW No. of days 0 6 1 0 4 5 15 0 Mean Velocity in miles per hr. 0 8 · 8 10 · 5 0 5 · 3 5 · 2 7 · 5 0 Total No. of miles 0 1265 253 0 505 620 2710 0 Total No. of Miles registered 5353 7022 · 4 900	Greatest Rainfall in one day (1	4th)	••••	• • • •	••	0	· 67 0	_				
No. of days	No. of days on which '005 in.	or m	ore F	Rain f	ell		12	1	14.6			
Mean Velocity in miles per hr. 0 8 · 8 10 · 5 0 5 · 3 5 · 2 7 · 5 0 Total No. of miles	Wind:—Direction	N	NE	R	SE	S	sw	w	NW			
Total No. of miles	No. of days	0	6	1	0	4	. 5	15	0			
Total No. of Miles registered	Mean Velocity in miles per hr.	0	8.8	10 · 5	0	5.3	5·2	7.5	0			
Total No. of Miles registered	Total No. of miles	0	1265	253	0	505	620	2710	0			
lotal No. of Miles registered	and the same of th		1									
	Total No. of Miles registered					53	353	1 -				
						V.)	3 0	3	3.2			

MAY, 1916.

DIFFERENCES.

The signs + and - mean respectively above and below the MONTHLY average.

Mean barometric pressure	•••	•••			0·657 in.
Monthly range	•••	•••	•••	+	0 · 092 in.
Mean of highest daily temper	eratures	•••	•••		0·7°
Mean of lowest ,,	,,	•••	•••	+	0·8°
Mean daily range	•••	•••	•••.		1 · 6°
Adopted mean temperature	•••		•••·	+	1 · 0°
Total rainfall	•••	• • • • •	****	+	0·436 in.

Ground frost on 3rd, 4th, 9th, 10th and 14th. Heavy rain on 14th. Solar halo on 2nd, 4th, 13th and 17th.

The total wind mileage, 5,353, is the lowest on record for May.

EXTREME READINGS FOR MAY,

During 69 Years.

Highest reading of Baremeter	1881 (10th)30·332 in.
Lowest " "	1877 (28th)28.559 in.
Highest temperature	1864 (19th) 82·5°
Lowest	1855 (4th) 23.5°
Highest adopted mean temperature	1848 55·1°
I.owest ,,	1855 45·0°
Greatest fall of rain	1886 6·178 in.
Least	1859 0·249 in.
Greatest fall of rain in one day	1881 (5th) 1 647 in
Greatest No. of days on which	,
	†1860 22
T	†1848 4
*Greatest hourly velocity of wind	1888 (2nd) 49 mls.
*Greatest No. of miles registered	1888 9648
	1916 5853

JUNE, 1916.

	,							
Results of Observations t	aken (during	the l	fonth.				n for last ears
Mean Reading of the Baromet	er .		ir	ches	29.	472	29.	553
		l6th		,,		923	1	931
		5th		"		699	1	030
Range of Barometer Readings					1.	224		901
Highest Reading of a Max. Th						8.6	7	6.9
Lowest Reading of a Min. Th					3	7.6	3	9.0
Range of Thermometer Readi					3	1.0	3	7 · 9
Mean of Highest Daily Reading	_				5	8.8	e	5 - 4
Mean of Lowest Daily Readin	-				4	9.7	4	8 · 1
Mean Daily Range						9.1	1	7.3
Deduced Mean Temp. (from m					5	52·5	5	4.9
Mean Temperature from Dry					5	1.9	5	5 · 3
Adopted Mean Temperature .					5	2.2	5	5 · 1
Mean Temperature of Evapora					4	8.3	5	1 -9
Mean Temperature of Dew Po					4	14·3	4	8 · 4
Mean clastic force of Vapour.					0.	292	0.	349
Mean weight of Vapour in a c						3.3	1	3.9
Mean additional weight require						1.1	1	1.0
Mean degree of Humidity (sat						75		78
Mean weight of a cubic foot of					53	33.0	53	31 - 2
Mean Amount of Cloud (0-10			-			7.5		7.2
Fall of Rain	•				2	500	3.	409
Greatest Rainfall in one day (4th)			`	0	650	0.	818
No. of days on which '005 in.	•					15	1	5.3
•								
Wind:—Direction	N	NE	E	SE	S	sw	W	NV
No. of days	5	2	0	2	3	2	15	1
Mean Velocity in miles per hr.	8.0	6.6	0	3.3	7.8	11.9	9·1	6:3
Total No. of miles	956	319	0	158	563	573	3258	15
		<u></u>		<u> </u>			Me	an*
Total No. of Miles registered .					56	279	616	8.0
Greatest hourly velocity (1st,					• • •	25	2	9 · 5
Greatest Hoursy Velocity (1st,	5 p.m	4 DE	1. 3.3	, vv .)			1	

JUNE, 1916.

DIFFERENCES.

The signs + and — mean respectively above and below the Monthly average.

Mean barometric p	ressure	•••	•••	•••		0.081 in.
Monthly range	,,	•••	•••	•••	+	0.323 in.
Mean of highest da	ily temp	eratures	•••	••••	<u>.</u>	6.6°
Mean of lowest	,,	,,	•••	•••	+	1 · 6°
Mean daily range		•••	•••	•••	_	8 2
Adopted mean tem	perature	·	•••	•••		2 9°
Total rainfall	- 	• •••	•••	•••	<u>.</u>	0.909 in.

Hail on 2nd, 6th, and 9th. Heavy rain on 4th. Thunder on 9th, 10th, 24th, and 26th. Lightning on 9th Solar halo on 14th, 24th, and 29th.

A dry, but cold and sunless month.

EXTREME READINGS FOR JUNE, During 69 Years.

Highest reading of the Barometer	1874 (15th)30 · 219 in.
Lowest "	1862 (12th)28.632 in.
Highest temperature	1893 (18th) 88·7°
Lowest ,,	1902 (9th) 32·0°
Highest adopted mean temperature	1896 59·3°
Lowest	1907 51·5°
Greatest fall of rain	1907 8·705 in.
Least	1887 0.525 ,
Greatest fall of rain in one day	1857 (8th) 2 093
Greatest No. of days on which	
005 in. or more rain fell	†1907 27
Least "	1887 4
*Greatest hourly velocity of wind	1897 (16th) 45 mls
"Greatest No. of miles registered	1877 8384
*Least " "	1915 3967

JULY, 1916.

Results of Observations taken during the Month,								
Mean Reading of the Barome	ter		ir	nches	29	-600	29	52 5
Highest ,, ,, on the 29th ,, 29.974								
Lowest ,, ,, on	the	7th	•••	,,	29	·006	29	018
Range of Barometer Readings	3		• • • •	,,	0	968	0	885
Highest Reading of a Max. T						77 • 0	7	78·6
Lowest Reading of a Min. T	herm	. on	the 6	ith		44 · 6	4	12.5
Range of Thermometer Readi	ngs .	•••••	• • • • •	•••••	:	32 • 4	3	36 · 1
Mean of Highest Daily Readin					(64·8	6	3 7 · 5
Mean of Lowest Daily Readin	gs .		• • • • • •	• • • • • •		58·6	1 5	51 · 1
Mean Daily Range			• • • • • •			$6 \cdot 2$	1	6.4
Deduced Mean Temp. (from m	ean o	of Ma	x. & 1	Min.)		59·8	1 5	57·7
Mean Temperature from Dry	Bulb	• • • • •	• • • • • •			58 · 2	5	57 · 9
Adopted Mean Temperature .			• • • • • •			59 · 0	5	7 ·8
Mean Temperature of Evapor	ation		• • • • • •			55 · 1	5	54·8
Mean Temperature of Dew Po	int .					51 - 6		52 ·0
Mean elastic force of Vapour					s 0	383	0.389	
Mean weight of Vapour in a c	ub. f	t. of	air, g	rains		4.3		4 · 4
Mean additional weight require	ed for	r satu	ratio	n ,,		1.3	1	1.1
Mean degree of Humidity (sat	urati	on 10	00)			77	l	81
Mean weight of a cubic foot of	air .		g	rains	5	27 · 7	52	27 · 5
Mean amount of Cloud (0-10						7.0	ļ	7 · 4
Fall of Rain	<i>.</i>		ir	ches	2	·880	3	998
Greatest Rainfall in one day				••	0	·650	0	865
No. of days on which '005 in.				ell		18	1	6.6
		-						
Wind:—Direction	N	NE	E	SE	8	sw	w	NW
No. of days	2	3	0	1	2	5	18	0
Mean Velocity in miles per hr.	3 · 1	4.1	0	3.9	3.8	8.8	6.8	0
Total No. of miles	147	296	0	93	182	1058	2939	0
				·	······································	-		an*
Total No. of Miles registered .					4	715	643	0.7

Greatest hourly velocity (1st, Noon, Dir. S.E.)...

28.7

22

JULY, 1916.

DIFFERENCES.

The signs + and — mean respectively above and below the Monthly average.

Mean barometric pressure	•••	•••		+	0.(75 in.
Monthly range ,,	•••	•••		+	0.013 in.
Mean of highest daily temper	atures	•••			2 7°
Mean of lowest ,,	,	•••	•••	+	7 5°
Mean daily range	•••	•••			10 2
Adopted Mean temperature	•••			+	1 2
Total rainfall	•••	•••		_	1 118 in.

Heavy rain on 12th. Thunder on 3rd, 7th, 16th, 20th, 21st, 25th, and 26th. Lightning on 7th, and 26th.

EXTREME READINGS FOR JULY, During 69 Years.

Highest reading of Barometer	1911 (10th)30·203 i	in.
Lowest		
Highest temperature	1901 (20th) 89·0°	
Lowest ,,	1857 (1st) 36 ⁴ 0°	
Highest adopted mean temperature	1901 63·2°	
Lowest	1862 54·3°	
Greatest fall of rain	1888 8·475 i	
Least	1868 0·669 i	in.
Greatest fall of rain in one day	1888 (2nd) 2·482	in.
Greatest No. of days on which	•	
· 005 in. or more rain fell	†1861 27	
Least	†1863	
*Greatest hourly velocity of wind	1892 (8th) 44 :	nls
Greatest No. of miles registered	1877 8288	
*Least ,, ,,	1913 4577	

^{*} Since 1867 only.

AUGUST, 1916.

Results of Observations t	aken	during	g the	Month	ı.	~	the	n for last ears	
Mean Reading of the Barome	ter		iı	nches	29	· 488	29	· 49 5	
Highest ,, ,, on the 5th ,, 29.984									
Lowest ,, ,, on the 25th ,, 28.947									
Range of Barometer Readings	s			,,	1	-037	0	.934	
Highest Reading of a Max. Th	ıerm	on t	he 11	th		75 • 0	1 :	76 • 5	
Lowest Reading of a Min. Th	erm.	on t	he 31	st		46-0		41-8	
Range of Thermometer Readi	ngs .				:	29 · 0	:	34 • 7	
Mean of Highest Daily Readin	ngs .				(67 · 1	. (36 • 7	
Mean of Lowest Daily Readin	gs .				ŧ	53 - 6	1 4	50 • 7	
Mean Daily Range						13.5		16.0	
Deduced Mean. Temp. (from M	lean (of Ma	x. & :	Min.)		58 · 7]. ;	5 7 · 0	
Mean Temperature from Dry						60 · 4	5	57 • 7	
Adopted Mean Temperature .						59 · 6		57 • 4	
Mean Temperature of Evapora	ation					56 · 8	1 :	5 4 · 5	
Mean Temperature of Dew Po	int					54 · 3	1 :	51.8	
Mean elastic force of Vapour			ir	iches	0	·423	0	0.387	
Mean weight of Vapour in a c						4.7		4.3	
Mean additional weight require						1.0		0.9	
Mean degree of Humidity (sat						84		82	
Mean weight of a cubic foot of	air .		g	rains	5	24 · 6	52	27 · 5	
Mean amount of Cloud (0-10))					6.6	İ	7.3	
Fall of Rain	·		ir	iches	4	130	4	998	
Greatest Rainfall in one day (1				,,		·240	1.	063	
No. of days on which '005 in.				ell		14	18.3		
Wind:—Direction	N	NE	E	SE	S	sw	w	NW	
No. of days	4	t	1	1	4	6	14	0	
Mean Velocity in miles per hr.	4 · 1	6.0	5.8	3.5	4.5	6.4	6.8	0	
Total No. of miles	396	143	140	84	435	920	2291	0	
						Me	an*		
Tatal No. of Miles memistered					4	109	635		
Total No. of Miles registered						1	1.2		
Greatest nourly velocity (20th,	5 p.1	n. Di	¥. W.	υ 3.)	•	20	"	-	

AUGUST, 1916.

DIFFERENCES.

The signs + and — mean respectively above and below the Monthly average.

Mean barometric pressure				_	6.007 in.
Monthly range ,,				+	0·103 in.
Mean of highest daily temperat	ures			+	0·4°
Mean of lowest ,, ,,			•••	+	2.9°
Mean daily range			•••		2·5°
Adopted mean temperature		•••	•••	+	2.20
Total rainfall		•••	•••		0.868 in.

Heavy rain on 13th, 14th, and 15th. Fog on 10th and 11th. Thunder on 14th, 15th, and 17th. Lightning on 14th and 17th.

EXTREME READINGS FOR AUGUST, During 69 Years.

Highest reading of Barometer	1874 (21st)30·114 in.
Lowest ,, ,,	1903 (15th)28·492 in.
Highest temperature	1868 (2nd) 88 0°
Lowest ,,	1887 (13th) 33·4°
Highest adopted mean temperature	1911 62·1°
Lowest ,,	1848 52·5°
Greatest fall of rain	1891 9·869 in.
Least ,,	1871 2·085 in.
Greatest fall of rain in one day	1857 (7th) 2·333 in.
Greatest No. of days on which	
· 005 in. or more rain fell	1891 27
Least	1880 6
*Greatest hourly velocity of wind	1903 (31st) 45 mls.
Treatest No. of miles registered	1903 8486
*Least	1915 3918

SEPTEMBER, 1916.

Results of Observations	taken	durin	g the	Montl	ı.		the	last earn	
Mean Reading of the Barome	ter	• • • • • • • • • • • • • • • • • • • •	iı	aches	29	·610	29	. 547	
Highest ,, ,, on the 7th ,, 29.998									
Lowest ,, ,, on	the	3rd		٠,,	29	170	28	895	
Range of Barometer Readings	s				0	·828	1	119	
Highest Reading of a Max. T	herm	. on	the 7	′th		71 - 1	:	72 · 1	
Lowest Reading of a Min. Th	ıerm.	on t	he 24	th	;	39 • 4	1 3	36 · 4	
Range of Thermometer Readi	ngs .				:	31 ·7	3	35· 7	
Mean of Highest Daily Reading	ngs				(60 • 4	(32 · 1	
Mean of Lowest Daily Readin	gs .					49·0	4	!7·2	
Mean Daily Range	- ••••••					11-4	1 1	4.9	
Deduced Mean Temp. (from m	ican c	of Ma	x. & 1	Min.)		53 · 4		53·4	
Mean Temperature from Dry						55 • 0		54·3	
Adopted Mean Temperature .						54 • 2	. 5	3.8	
Mean Temperature of Evapor						51 · 7	5	1 • 0	
Mean Temperature of Dew Po	oint					49 - 3	4	8.3	
Mean elastic force of Vapour		• • • • • •	ir	iches	0	.350	0.339		
Mean weight of Vapour in a c	ub. f	t. of a	air. g	rains		4.0		3.9	
Mean additional weight requir	ed fo	r sa.tı	ıratio	m		0.8	l	0.9	
Mean degree of Humidity (sa						83		81	
Mean weight of a cubic foot of					5	32.9	53	2 · 6	
Mean amount of Cloud (0-10						6.4		6.7	
Fall of Rain					- 3	· 09 0	4	217	
Greatest Rainfall in one day						150	0	954	
No. of days on which '005 in.				ell		11	1	6.2	
Wind:—Direction	N	NE	E	SE	8	sw	w	NW	
No. of days	9	3	1	0	2	4	10	1	
Mean Velocity in miles per hr.	6·1	7.0	8.0	0	4.7	6.3	10 · 1	9.8	
Total No. of miles	1314	503	191	0	225	608	2 429	238	
							Me	an*	
Total No. of Miles registered .					5	508	605	1.1	
Greatest hourly velocity (13t						22	3	2.4	

SEPTEMBER, 1916.

DIFFERENCES.

The signs + and — mean respectively above and below the Monthly average.

Mean barometric pressure	•••	•••	•••	+	0.063 in.
Monthly range ,,	•••	•••	•••	_	0·291 in.
Mean of highest daily tem	peratures	•••	•••	_	1·7°
Mean of lowest ,,	••	•••	•••	+	1·8°
Mean daily range		•••	•••	_	3·5°
Adopted mean temperatur	re	•••	•••	+	0·4°
Total rainfall		•••	•••	_	1·127 in.

Heavy rain on 3rd and 17th. Thunder on 2nd and 3rd. Lightning on 3rd. Solar halo on 14th, 16th, 22nd, and 23rd. Aurora Borealis on 23rd.

EXTREME READINGS FOR SEPTEMBÉR, During 69 Years.

Highest reading of Barometer		
Lowest ,,	1896	
Highest temperature	1868	(6th) 85·0°
Lowest		
Highest adopted mean temperature	1865	59·1°
Lowest	1863	50.9°
Greatest fall of rain		9·539 in.
Least "		0·652 in.
Greatest fall of rain in one day		(26th) 2.080 in.
Greatest No. of days on which		
·005 in. or more rain fell	1866	27
Least	11851	
"Greatest hourly velocity of wind	1875	(26th) 53 mls.
Greatest No. of miles registered	1869	9053
*Least		3261

^{*} Since 1867 only.

OCTOBER, 1916.

Results of Observations taken during the Month.											
Mean Reading of the Barome	ter		i	nches	29	334	29	· 44 0			
Highest ,, ,, on the 20th ,, 29 892											
Lowest ,, ,, o	*										
Range of Barometer Reading	Range of Barometer Readings										
Highest Reading of a Max. T	herm	. on 1	he 6t	h	4	64 • 8	(6 4 · 0			
Lowest Reading of a Min. The	erm.	on th	e 22r	ıd		34 · 2	:	29 · 6			
Range of Thermometer Read	ings .		• • • • • • •	•••••		30∙6	1 :	34 • 4			
Mean of Highest Daily Readi	ngs .					5 4 · 2	1 :	54 · 6			
Mean of Lowest Daily Readin	ıgs .					44 · 6	1 .	42 ·0			
Mean Daily Range	.					9.6		12.6			
Deduced Mean Temp. (from Me	can. c	of Ma:	k.and	l Min	.) .	48 • 4	1 4	47 ·3			
Mean Temperature from Dry	Bulb	• • • • • •		•••••		50 · 3	4	18 ·0			
Adopted Mean Temperature .						49 · 4	1 4	47 ∙6			
Mean Temperature of Evapor	ation					47 • 4	1 4	15 ·5			
Mean Temperature of Dew Po	oint .					45·2	1 4	13 ·0			
Mean elastic force of Vapour	·		ir	iches	0	· 303	0	279			
Mean weight of vapour in a c	ub. f	t. of	air, g	rains		3.5		$3 \cdot 2$			
Mean additional weight requir	ed fo	r satu	ratio	n ,,		0.6	1	0.6			
Mean degree of Humidity (sa	turat	ion 1	00)			86	ŀ	84			
Mean weight of a cubic foot o	f air		g	rains	5	33 · 5	58	37 · 4			
Mean amount of Cloud (0-10			_			7.4		7.3			
Fall of Rain		•••••	ir	ches	10	· 3 05	4	962			
Greatest Rainfall in one day (1	680	0	988			
No. of days on which .005 in.				ell		27	1	8.8			
							1				
Wind:—Direction	N	NE	E	SE	S	sw	W	NW			
No. of days	2	0	4	3	7	11	4	0			
Mean Velocity in miles per hr.	6 · 1	0	10 · 3	5.9	14.8	14-4	11.9	0			
Total No. of miles	294	0	985	422	2481	3810					
								an*			
Total Vo. of miles registered 9131							694	5.6			
Total No. of miles registered							3	7.6			
Cheatest noung velocity (30th,	∠ þ.t	14., IJ	u. J.	,]				

OCTOBER, 1916.

DIFFERENCES.

The signs + and — mean respectively above and below the Monthly average.

Mean barometic pressure		•••		0·106 in.
Monthly range ,,		•••	+	0·232 in.
Mean of highest daily temperatur	es	•••	_	0·4°
Mean of lowest ,, ,,	•••	•••	+	2·6°
Mean daily range ,,	•••	•••	_	3·0°
Adopted Mean temperature		• • • •	+	1 · 8°
Total rainfall		•••	+	5·343 in.

Ground frost on 16th, 17th, 20th—22nd, 26th and 27th. Hoar trost on 21st, 22nd, and 26th. Hail on 15th and 31st. Heavy rain on 4th, 5th, 10th 13th, 28th, and 30th. Gale of wind on 30th. Thunder on 25th and 27th. Lightning on 27th. Solar halo on 22nd.

EXTREME READINGS FOR OCTOBER, During 69 Years.

Highest reading of Barometer	1884 (5th)30·306 in.
Lowest ,, ,,	1862 (19th)28·139 in.
Highest temperature	1890 (12th) 74·0°
Lowest ,,	1895 (28th) 17·8°
Highest adopted mean temperature	1908 52·5°
Lowest ,,	1895 42·8°
Greatest fall of rain	187013·437 in.
Least "	1915 1 · 180 in.
Greatest fall of rain in one day	1870 (8th) 2·529 in.
Greatest No. of days on which	
·005 in. or more rain fell	1903 29
Least	1864 10
*Greatest hourly velocity of wind	1877 (15th) 52 mls.
"Greatest No. of miles registered	1874 9818
*Least ,,	1915 3965 *

NOVE	EME	BER,	, 19	16.					
Results of Observations taken during the Month.									
Mean Reading of the Barome	eter		in	ches	29	.250	29	459	
			h	"		·005 ·057		· 063 · 560	
Range of Barometer Reading						.948	1	.503	
Highest Reading of a Max. T						55 · 6	, -	55 · 8	
Lowest Reading of a Min. Th						29 · 0	l l	25·4	
Range of Thermometer Read						26 · 6	1	30 · 4	
Mean of Highest Daily Readi						47 · 9	1.	47·2	
Mean of Lowest Daily Readir						40 · 3	1.	36 · 7	
Mean Daily Range						7.6	1	10.5	
Deduced Mean. Temp. (from M						43.7	1.	41.6	
Mean Temperature from Dry						43 · 2	1.	42.0	
Adopted Mean Temperature						43.5	١.	41.8	
Mean Temperature of Evapor						41 -0	1 :	39 · 7	
Mean Temperature of Dew Po						38 · 1	1 :	38 · 2	
Mean elastic force of Vapo						. 229	0	231	
Mean weight of Vapour in a c						2.7		2.7	
Mean additional weight requir						0.6	1	0.4	
Mean degree of Humidity (sat						81	1	87	
Mean weight of a cubic foot					5	38 · 5	54	44.5	
Mean amount of Cloud (0-10						8.4	1	7.4	
Fall of Rain	•				3	-605	4	424	
Greatest Rainfall in one day (25th)	••••	•••		0	-500	0	965	
No. of days on which .005 in.				ell		25	1	18.0	
	45 L .						1		
Wind .—Direction	N	NE	E	SE	S	sw	w	NW	
No. of days	0	3	6	0	8	7	6	0	
2.0. 02 02/0			L.			<u> </u>			
Mean Velocity in miles per hr.	0	8.0	15 • 2	0	13-0	10.9	9 · 1	0	
Total No. of miles	0	579	2188	0	2490	1823	1311	0	
			·				Me	an*	
Total No. of miles registered .					83	191	729	6.8	
Greatest hourly velocity (23r									
by W				•••••		34	4	1.3	

NOVEMBER, 1916.

DIFFERENCES.

The signs + and — mean respectively above and below the Monthly average.

Mean barometic pr	essure			•••		0·209 in.
Monthly range	,,	•••	•••	•••	+	0·445 in.
Mean of highest da	ily temp	eratures	•••	•••	+	0·7°
Mean of lowest	,,	,,	•••	•••	+	3.6°
Mean daily range		,,	•••	•••		2·9°
Adopted mean tem	perature	•	•••	•••	+	1 · 7°
Total rainfall .	•••	•••	•••	•••	-	0·819 in.

Ground frost on 3rd, 16th—18th, 22nd, and 26th—28th. Hoar frost on 21st and 22nd. Snow on 18th, 19th and 20th. Hail on 1st, 18th, 19th, 20th, 25th, and 26th. Heavy rain on 25th. Lightning on 1st, 25th and 26th.

EXTREME READINGS FOR NOVEMBER, During 69 Years.

Highest reading of Barometer	1857	(12th)	30·350 in.
Lowest "	1891	(11th)	27·938 in.
Highest temperature		(1st)	
Lowest		(15th)	17·5°
Highest adopted mean temperature	†1881	***************************************	47·0°
Lowest		•••••	
Greatest fall of rain	1866	••••••	9.026 in.
Least	1855		1·158 in.
Greatest fall of rain in one day	1866	(16th)	3·700 in.
Greatest No. of days on which			
·005 in. or more rain fell	1913	•••••	28
Least ,,	1848	***************************************	6
"Greatest hourly velocity of wind	1887	(1st)	62 mls.
Greatest No. of miles registered	1888	***************************************	12813
*Least " " "	1915		4893

^{*} Since 1867 only.

DECEMBER, 1916.

Results of Observations t	aken (during	the M	[onth			the	n for last ears.	
Mean Reading of the Baromet	er		in	ches	29 ·	175	29	427	
Highest ,, ,, o	n the	6th	ı	,,	29 ·	780	30 -	064	
_	n the	12th	1	,,	28 ·	568	28	518	
Range of Barometer Readings			••	,,	1.	212	1.	546	
Highest Reading of a Max. The	herm.	on t	he 31	st	5	0.2	5	2.9	
Lowest Reading of a Min. Th	crm.	on th	ne 6t	h	2	3.2	2	21.0	
Range of Thermometer Readi	ings				2	7.0	3	31 · 9	
Mean of Highest Daily Reading					4	0.0	4	3 ·3	
Mean of Lowest Daily Readir	ngs	. 		•••	3	1 · 4	8	33.5	
Mean Daily Range						8.6	1	9.8	
Deduced Mean Temp. (from Me	an.o	f Niax	and	Min.) 3	35 · 7	3	8 · 4	
Mean Temperature from Dry					-	36·4	3	39·1	
Adopted Mean Temperature .					3	16 ·1	3	8.8	
Mean Temperature of Evapora					3	34 - 7	3	37 · 2	
Mean Temperature of Dew Po					3	32.6	3	35 · 2	
Mean elastic force of Vapour					0.	187	0.	0.207	
Mean weight of Vapour in a c						2.1	2.4		
Mean additional weight require			,			0.4		0.4	
Mean degree of Humidity (sat						88		87	
Mean weight of a cubic foot of			,		54	5.4	54	7 · 1	
Mean amount of Cloud (0-10			•			5.8		7.6	
Fall of Rain					3	850	4.627		
Greatest Rainfall in one day					1	030	0.852		
No. of days on which .005 in.				ell	•	19	1	9.8	
Tro. or days on which does in	·	010 1		•••••		•			
Wind:—Direction	N	NE	E	SE	S	sw	w	NW	
No. of days	6	2	1	.0	6	4	7	5	
Mean Velocity in miles per hr.	3 · 8	2.6	10-1	0	7.0	8.6	7.3	4.5	
l'otal No. of miles	541	1 2 3	243	0	1008	829	1232	541	
							*M	ean	
					4	517	781	7.6	
Greatest hourly velocity (20th						32	4	2.6	

DECEMBER, 1916.

DIFFERENCES.

The signs + and — mean respectively above and below the Monthly average.

Mean barometric pressure	•••	•••	•••		0·252 in.
Monthly range ,,	•••	•••	•••		0·334 in.
Mean of highest daily temp	cratures	•••	•••	_	3·3°
Mean of lowest ,,	,,	•••	•••	_	2·1°
Mean daily range	,,	•••	•••		1 · 2°
Adopted mean temperature	•••	•••		_	2·7°
Total rainfall	•••	•••	•••	_	0·777 in.

Ground frost on 1st—23rd, 27th and 28th Hoar frost on 1st, 2nd, 16th, 17th, and 27th Snow on 11th, 13th, 18th, 19th and 23rd Hail on 9th and 19th Heavy rain on 28th, 29th and 31st. Fog on 1st, 2nd, 6th, 7th, 8th and 13th.

A remarkably calm month, with no gales and the least total mileage on record for December.

EXTREME READINGS FOR DECEMBER, During 69 Years.

Highest reading of Barometer	1905 (12th)30·484 in.
Lowest ,,	1886 (8th)27 · 350 in.
Highest temperature	1876 (9th) 58·1°
Lowest ,,	1860 (24th) 6·7°
Highest adopted mean temperature	1857 44·6°
Lowest	1878 30·3°
Greatest fall of rain	1880 9·211 in.
Least	1890 0-550 in.
Greatest fall of rain in one day	1870 (19th) 1.962 in.
Greatest No. of days on which	
·005 in. or more rain fell	1868 28
Least	†1853 8
*Greatest hourly velocity of wind	1894 (22nd) 72 mls.
"Greatest No. of miles registered	1898 11265
*Least " " " "	1916 4517

Summary of Observations, 1916.

Results of Observations taken during the Year.		Mean for the last 69 Years.
Readings of Barometer in inches.		
Mean of the Year	29 · 419	29 · 492
Highest Monthly Mean (January)	29.613	29.745
Lowest ,, ,, (December)	29 · 175	29.220
Highest Reading (January)	30.095	30.292
Lowest ,, (November)	28.057	28 · 202
Range	2.038	2.090
Thermometer, Fahrenheit.		
Highest Monthly Mean Temperature (August)	59 · 6	58.6
Lowest " " (December).	36 · 1	35.5
Highest Reading of a Max. Therm. (July 22nd)	77 · 0	81 - 5
Lowest ,, Min. ,, (Dec. 6th)	23 · 2	16.0
Range of Thermometer Readings	53.8	65⋅5
Mean of Highest Daily "	53.0	54.6
Mean of Lowest Daily ,,	43.0	40.9
Mean Daily Range	10.0	13.7
Deduced Mean Temp. (from mean of Max. and Min.)	47.0	46.8
Mean Temperature from Dry Bulb	47 · 8	47 · 1
Adopted Mean Temperature of the Year	47 · 4	47.0
Mean Temperature of Evaporation	44.9	44.6
Mean Temperature of Dew Point	42.2	42 · 1
Mean elastic force of Vapour inches	0.278	0.274
Mean weight of Vapour in a cub. ft. of airgrns.	3.2	3.2
Mean additional weight required for saturation ,,	0.7	0.7
Mean degree of Humidity (saturation 100)	83	83
Mean weight of a cubic foot of airgrns.	537 · 2	539 · 1
Mean amount of Cloud (0-10)	7.1	7.3
Total fall of Rain inches	49 · 375	47 · 051
Greatest Monthly Rainfall (October)	10 · 305	7 · 529
Least ,, ,, (March)	1 · 925	1 · 228
Greatest Rainfall in one day (October 13th) ,,	1 · 680	1.625
No. of days per Month on which -005 inch or more Rain fell	18-6	17 · 1

SUMMARY OF WIND, 1916.

Prevailing Direction	N.	NE	R	SE	s	sw	.w	NW
No. of days for each	43	44	16	8	49	61	133	12
Mean Velocity in miles per hour	6.3	8.4	11.8	5.0	10.4	10.6	10.5	5.3
Total No. of miles for each Direction	6523	8905	4539	955	12207	15544	33554	1515
		<u> </u>					1	oan for to last years.
Total No. of miles registered						3742 1089 440 9	10	3151 · 5 0038 · 7 5028 · 3
Greatest hourly veloci Prevailing Direction	ity (F	ebruar)		44 W		51 · 5

. DIFFERENCES, 1916.

The signs + and — mean respectively above and below the YEARLY average.

Mean barometric pressure	•••	•••	_	0·073 in.
Yearly range	•••	•••		0·052 in.
Mean of highest daily temperature	:8	•••	-	1 · 6°
Mean of lowest		•••	+	2·1°
Mean daily range	•••	•••		3·7°
Adopted mean temperature	•••	•••	+	0.4
Total rainfall	•••	•••	+	2·324 in.

ABSOLUTE EXTREMES FOR THE LAST 69 YEARS.

Readings of Barometer, in inches.

Highest monthly mean	1891 (Feb.) 29·997
Lowest ,, ,,	1868 (Dec.) 28.984
Highest yearly ,,	1896 29 · 584
Lowest ,, ,,	1872 29 - 319
Greatest monthly range	1886 (Dec.) 2·795
Least ,, .,	1852 (July) 0·505
Highest reading	
Lowest ,,	
Extreme range	3 · 247

Thermometer, Fahrenheit.

Highest monthly	mean to	emperat	ure	1901 (July)	63 · 2
Lowest "	,,	,,	•••	1855 (Feb.)	28 ·6
Highest yearly	••	,,		1868	49 · 1
Lowest "	••	,,	•••••	1879	44 · 1
Highest reading		,,	•••••	1901 (July 20th)	89 · 0
Lowest "		••	••••	1881 (Jan. 15th.)	4.6

Weight of Vapour in a cubic foot of air (grains).

Greatest	monthly	mean	•••••	1852	(July) .		5.	
Least .				11855	(Feb.) .	•••••	1.	•

ABSOLUTE EXTREMES FOR THE LAST 69 YEARS—Continued.

Rainfall, in inches.

Greatest 1	Rainfall	in one	day	••••	1866	(Nov. 16)	3.700
Greatest	••	,,	month	••••	1870	(Oct.)	13 · 437
Least	**	,,	,,		1859	(May)	0.249
Greatest	,,	,,	year		1866	*************	62.093
Least	,,				1887	*************	31 - 250
Days on v	vhich ·(005 in.	or more	Rain fe	ell:		
Greates	t No. in	one r	nonth	••••••	1890	(Jan.)	30
Least	,,		,		1852	(Mar.)	3
Greates	t ,,	У	еаг	<i>r</i> .	1872	***************************************	281
Least	,,	•	••	•••••	1855	••••••	135

* Wind.

Greatest hourly velo	city, ir	miles	1894 (Dec. 22)	72
Greatest No. of mi	les reg	gistered in a		
month	• • • • • • • •		1888 (Nov.)	12813
Least	**	,,	1888 (Sep.)	3261
Greatest Mean No.	.,	,,	March	8553
Least	,,	99	September	6051
Greatest No.	••	"year.	1868	102395
Least "	**	,, ,,	1915	70623

:	Heavy Rain	6, 20 6, 18 11, 17 14 14 12 13, 14, 15 5, 10, 13, 28, 30 28, 29, 31 Borealis 23
	Неву	17 6, 6, 7, 11, 11, 11, 11, 24, 29, 28, 29, 28, 27, 28, 29, 28, 27, 28, 29, 28, 27, 28, 29, 29, 29, 29, 29, 29, 29, 29, 29, 29
	lil	11. 12. 14. 24. 24. 24. 24. 24. 24. 24. 24. 24. 2
PHENOMENA	Hail	7, 7, 111, 118, 118, 114, 114, 114, 114, 114
0		: : : : : : : : : : : : : : : : : : :
Z	ł	:
;	Snow	14-17, 22-28 3-8,9-13,23-28 14 18, 19, 20 13, 18, 19, 23 13, 18, 19, 23 14 17 18 19 19 19 19 19 19 19 19 19 19 19 19 19
ONAL		17
OCCASIONAL	Hour Frost	2 2 21, 22, 26 21, 22, 26 12, 16, 17, 27 9 9 14, 18, 17 14, 15, 17 25, 27 25, 27
OF		9. 6. 7, 1
DATES	يد	14, 23, 27 12, 15, 17, 20 17, 22-30 10, 14-16, 22 20-22, 26, 27 18, 22, 26-28 33, 27, 28 Fog Fog 10, 11 11, 2,6,7,8,13
DA	Frost	! -~ + ! ! ! ! ! ! ! ! ! ! ! ! ! !
		1. 5, 9, 10 2, 3, 5, 3, 3, 3, 3, 3, 3, 3, 3, 16, 17 1. 13 3, 16, 17 1. 13 3, 16, 17 1. 13 3, 16, 17
	1916	January February March April May June July August September December January February February March April May June June September August September October September Jone April May June September October November October October December December December December

					,		30						•••	
	6-8	:	:	÷	፥	:	:	:	÷	÷	÷	:	:	:
N N	7-8	:	:	:	0.3	1.9	5.9	1.3	:	0 · 1	:	:	:	6.4
SUNSHINE.	6-7	:	:	:	2.5	9.3	9.8	8.0	8.9	0.5	:	:	:	59.5 35.7
S	5-6	:	:	0.5	9.6	12.7	11.1	9.5	12.7	3.3	4.0	:	:	59.5
DED	3-4 4-5	:	1:1	1.1	11.4	13.6	11.1	11.0	17 · 4	8.9	2.3	:	:	75.8
RECORDED	3-4	0.1	2.9	2.7	12.6	12.3	6.6	13.0	16.1	10.2	2.2	6.0	:	86.2
REC	2-3	3.4	6.1	4.1	14.9	11.5	10.2	13.2	14.8	12.4	7.0	5.6	3.1	106.3
OF	1-2	4.4	5.7	6.9	16.0	13.4	9.4	11.4	13.6	11.0 11.6 12.4	7.5	0.9	0.9	110.9
	12-1	7.1	9.2	6.4	15.2	12.2	10.5	12.7	15.7	11.0	9.4	7.9	9.5	124.9
HOUR	9-10 10-11 11-12 12-1 1-2	9.8	9.01	0.6	15.4	12.1	8.2	8.8 11.6 11.5 11.5 12.7 11.4 13.2 13.0	9.1 11.4 13.8 15.9 15.7 13.6 14.8 16.1 17.4 12.7	11.5	8.1	6.1	8.7	77.9 98.7 112.2 125.7 124.9 110.9 106.3 86.2 75.8
EACH	10-11	3.1 4.9	9.5	10.4	13.2	11.6	8.8	11.5	13.8	8.7 10.9	9.9	6.4	4.9	112.2
EA(9-10	3.1	7.8	9.6	12.3	12.3	10.6 10.0	9.11	11 · 4		8.9	3.0	2.1	98.7
FOR	6-8	0.2	4.5	6.7	7.8 11.3 12.3 13.2 15.4 15.2 16.0 14.9 12.6 11.4	9.9 12.9 12.3 11.6 12.1 12.2 13.4 11.5 12.3 13.6 12.7	10.6			8.6	3.4	0.4	0.2	
	7-8	:	0.3	2.4			6.4	1.0	7.2	6.9	1.0	:	:	51.2
TOTALS	6-7	:	:	9.0	3.7	9.4	7.1	3.2	5.5	1.3	:	:	:	1.6 11.0 32.5
	5-6	:	:	:	9.0	4.3	3.5	$2 \cdot 1$	9.0	:	:	:	:	0.11
HLY	4-5	:	:	:	:	0.1	1.2	0.3	:	:	:	:	;	1.6
/ MONTHLY	1916. Local apparent time	January	February	March	April	May ,	June	July	August	September	October	November	December	Sums

7	TOTAL		AMOUNT		OF	SUN	SUNSHINE	W Z	REC	RECORDED	DED	O	Į.	EACH	DAY	-	
9161	-	84	8	*	S	σ	7	æ	တ	2	=	13	13	7	15	16	17
January	0.1	:	3.1	:	1.9	:	1.2	3.2	:	0.1	:	:	5.5	0.1	:	0.1	:
February	. 0.1	:	6:		8.8	:	8	-2	4.5	3.5	:	3.4	3.1	 -	1.5	0.5	5.6
March	:	:	8.0	7.5	3.0	7.7	3.0	0.5	-22		0.5	:	1.6	:	:	:	4.1
April	0.6	9.1	10.2	5.5	0.	0:1	6.3	5.2	0.+	2.0	7.7	1.8	0.5	9.2	6.6	:	:
May	12.1	10.5	2.7	6.0	:	0.1	0.3	0.1	1.5	12.1	0.1	:	2.1	:	8.1	3.7	6.3
]une	. 0.2	8.0	7.9	:	7.	7.6	:		9.0	3.0	2.0	2.9	8.5	6.3	15.1	13.3	13.5
July	:	3.5	0.1	9.6	3.7	:	:	3.7	3.5	1.0	1.1	:	6.3	1.4	5.7	:	፥
August	-	8.9	3.8	7.2	12.8	4.5	13.1	10.5	8.1	6.01	4.4	0.7	4.3	6.5	9.0	1.0	4.0
September		3.8	0.1	4.7	8.8	6.6	0.9	1.3	0.1	8.0	1.0	0.5	:	9.2	0.5	8.4	:
October	÷ :	:	:	:	:	0.1	0.3	2.0	8.8	:	:	9.0	0.1	0.1	2.0	3.0	÷
November	?	7:	:	2.1	:	2.7	8.0	2.0	:	:	1.7	:	:	:	1.1	:	5.6
December		:	7:	5.6	5.5	:	:	8.0	:	3.8	:	:	1.6	1.0	4.3	4.1	1.5
		_															

April Key

9161

SUMMARY OF SUNSHINE.

BRIGHT SUNSHINE RECORDED

		1916		Mean	for the last	36 years
	Nur	nber of	Percentage of	Nu	nber of	Percentage of
	Days	Hours	Possible Sunshine	Days	Hours	Possible Sunshine
January	17	31 · 8	12.8	14.0	32 · 8	13.2
February	20	55 · 8	19.8	17.9	59.0	21.5
March	21	59 · 4	16.2	24 · 1	103.4	28.3
April	26	146 · 6	35.0	26 · 3	150.0	35.8
May	27	159 · 5	32 · 4	27 · 5	186 · 0	37·7
June	27	132 · 8	26 · 1	27 · 9	184 · 0	36.2
July	25	137·8	27 · 1	28 · 3	174 · 2	34 · 2
August	30	160 · 3	35 · 1	27.6	151.2	33 · 1
September	26.	104.0	27 · 4	25 · 8	125 · 7	33 · 2
October	22	5 8·0	17.8	23 · 3	83 -4	25 · 6
November	15	36.3	14 · 2	17 · 5	46.7	18.3
December	16	34 · 2	14.8	13 · 2	25 · 2	10.9
Year	272	1116-5	25 · 0	273 · 3	∵321 -6	29 · 6

SUMMARY OF SUNSHINE—Continued. EXTREMES FOR THE LAST 36 YEARS.

: !	1	Number	of Days	Na	mber	of Hours	.		Perce	ntage	
Момтн		01	n which Su	nshine w	as rec	orded		Po		Sunshi	ne
	Gı	eatest	Least	Great	est	Leas	it	Gres	test	Le	ast
Jan.	21	1881	8 1898	64 · 2	1881	12·3	1913	25 · 9	1881	5.0	1913
Feb.	24	1895	11 1882	89:3	1887	29.6	1882	32·8	1887	10.9	1882
Mar.	28	*1894	17 1904	168 · 6	1907	56.8	1912	46 · 1	1907	15.5	1912
Aprl.	30	1909	22 1905	223 · 7	1893	94.0	1913	53 · 4	1893	22·3	1913
May	30	*1880	22 1886	266 · 6	1881	79·7	1906	5 4 ·1	1881	16·2	1906
June	30	*189 6	24 *1888	272 · 5	1887	85 · 2	1912	53·6	1887	16·8	1912
July	31	*1882	25 *1888	263 · 4	1911	98.0	1888	51 · 7	1911	19·3	1888
Aug.	31	*1886	23 1894	235 · 2	1899	74 · 1	1912	51 · 5	1899	16·2	1912
Sept.	30	1914	21 1897	176 · 5	1914	62.9	189F	1 6·6	1914	16-6	1896
Oct.	28	1891	17 1889	134 · 9	1899	50.0	1889	41 · 4	1899	15·3	1889
Nov.	23	*1883	9 1897	86.6	1915	18.5	1891	3 3 ·8	1915	7·2	1891
Dec.	18	*1886	6 1882	60 · 1	1886	7.4	1912	26 · 0	1886	3 · 2	1912
Year	300) 1905	251 1903	1613 · 7	1887	927 · 6	1912	36 · 1	1887	20 · 7	1912
	J		L	<u></u>				L		1	

HORIZONTAL MAGNETIC DIRECTION.

Horizontal Magnetic Direction, West of North (from daily measures of the continuous curves).

		MEANS	8 OF +						
	Highest readings	Lowest	4 p.m. readings	4 a.m. readings*	Mean for the month	Mean daily range	Highest reading of the month	Lowest reading of the month	Monthly
		16°	+				16° +	16° +	
Tonnori	31.6	97.5	, %.	28.6	20.3	0.6	38.7	0.0	38.7
February	32.1	26.7	30.5	28.6	8 4.	, œ	37.2	0.0	28.2
		24.8	29.5	27.1	28.4	15.1	40.0	8.8	48.8
		22.1	28.3	25.4	26.8	12.5	36.2	6.2	30.0
	8	19.5	26.1	22.7	24 · 4	12.0	35.2	1.2	34.0
		22.6	30.5	25.0	27.6	12.2	37.0	2.0	30.0
July		18.5	25.9	22.2	23.8	11.7	32.0	11.0	21.0
•		17.1	22.5	20.3	22.0	14.0	39.0	0.8	47.0
		21.9	27.7	24.2	26.5	14.0	38.0	2.0	31.0
October		21.3	25.3	24.5	25.1	14.1	43.0	0.7	45.0
		18.7	23.0	21.8	22.2	13.6	36.0	0.0	36.0
		19.9	22.4	22.0	22.2	& &	37.0	14.0	23.0
Means	29.8	21.7	26.7	24.4	25.6	12.1	37.4	3.1	34.4
-		Mean fo	Mean for the year	:	16° 25.6 W	Ň.			

† For the 10 quietest days.

HORIZONTAL MAGNETIC FORCE.

Horizontal Magnetic Force in C. G. S. Units (from daily measures of the continuous curves).

The figures in the columns are entered to the unit 10 C.G.S.

		MEANS	4 00 6						
1916	Highest readings	Lowest		4 a.m. readings*	Mean for the month	Mean daily range i	Highest reading of the month	Lowest reading of the month	Monthly range
		1700	+ 0021		0	+	1700	17000 +	+ 0
January	391	388	380	383	381	38	436	256	180
February	88	988	378	382	379	36	422	335	84
March	388	348	374	376	371	7	459	587	175
April	988	3 8	372	373	386	73	194	238	226
:	383	330	365	355	358	81	468	787	<u>28</u>
June	878	322	365	858	356	8	436	238	198
:	365	98	347	838	340	73	4	272	169
st	346	282	336	322	325	88	464	8	368
September	833	8	317	317	314	8	395	243	152
October	328	287	310	316	311	62	372	202	170
November	833	288	318	318	317	88	413	358	22
	332	808	321	323	321	42	376	243	133
Means	363	921	349	347	345	8	429	254	175
		Mean	Mean for the year	Is	0.17345	0.17345 C. G. S. Unita	its.		

† For the 10 quietest days.

*Of the following days.

! Includes all days.

ABSOLUTE MEASURES-SUMMARY.

DI	RECTION			FORCE.	
1916	Declination Corrected	Inclination	Horizontal	Vertical	Total
	. ,	· /	с. с	s. s. uni	TS.
January	16 29 0	68 41.2	0 · 17369	0.44518	0.47787
February	16 29.9	68 40.6	0 · 17364	0·44483	0.47752
March	16 27 - 7	68 45 • 2	0 · 17353	0.44630	0.47884
April	16 26 - 6	68 43.0	0 · 17349	0 · 44536	0.47796
May	16 25.3	68 38.6	0 · 17342	0 · 44351	0 · 47622
June	16 26 4	68 41.8	0 · 17329	0 · 44439	0.47698
July	16 24.3	68 42.7	0 · 17348	0 · 44522	0.47783
August	16 24 · 2	68 41.8	0 · 17341	0-44470	0.47731
September	16 24 · 8	68 42.1	0 · 17326	0-44443	0.47701
October	16 23.9	68 42.7	0 · 17327	0.44468	0.47725
November	16 22 · 2	68 41 - 4	0 · 17327	0.44419	0.47679
December	16 22 · 2	68 - 41 - 7	0 · 17334	0-44448	0.47708
Means	16 25 · 6	68 41.9	0 · 17342	0.44477	0 · 47739

DATES OF MAGNETIC DISTURBANCES.

The disturbances are divided generally into three classes, small, moderate, and greater; these are indicated by the initial letters of the classes, and the letter c denotes calm. Very great disturbances are marked vg. The days are reckoned astronomically from noon to noon.

D. 1	1916	Dec.	Nov.	Oct.	Sept.	Aug.	July	June	May	April	March	Feb.	Jan.	1916
	D. 1	m	8	m	s	m	m	s	s	s	С	С	C	D. 1
	2		S		8	8	8	s	m	8	m	С	С	2
	1 2 3 4 5 6 7 8	S	S	8	m							С		3
	4	S	m		g									4
	5	8												5
	6			g										6
	7			m										7
	8										g			8
	9				_			ı			g			10
	9 10 11 12 13 14													110
	11						1						l 🖁	12
	12						•				C			13
	113									_				14
	1 :2									ŀ				15
	10				_								١	16
	15 16 17 18 19 20				_									17
	1 16									_				18
	10												8	19
	20		_											20
	21								ø					21
	21 22 23								ž					22
	23								m				m	23
	24					8			8			С	s	24
	25				6	c							m	25
	26					v.g.		8				8		26
	27			C		8		8						27
	25 26 27 28 29 30 31							8			8			28
	29	8	8		С	8	8	•		m	. a	С		29
	30		8	8	m			m		8	g			31
	31	8		8		8	C		m		m		S	31
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		7 21	25	9	17	4 17	5 18	23	23	21	8 12	12 15	12 13 5	1 1
		3	4	4		7	8	6	6		7		ĭ	الم الم
		•••	•••	1	1	2	•••	•••	1	3				1 10
\(\text{Vg} \) \(\tex	1	•••	•••	•••	•••	1	•••	•••	•••	•••	•••	•••	'''	8

[.] No record.

DATES OF SOLAR OBSERVATIONS, AND DISC AREAS OF SPOTS AS MEASURED FROM THE DRAWINGS.

The unit is $\frac{1}{5000}$ th of the visible surface.

The letter "f" to a date means a record of faculæ but no spot.

n=note without a complete drawing.

i——	Ι		1 =										
1916	Jan.	Fcb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	1916
	, ~	14	Σ	A	X	Ĺ	_=	4	Ŋ.	0	<u>z</u>	<u> </u>	
D.													D.
1	1	5.3		9.2	6.0			0.9	0.1	0.2		4 · 4	1
2	Ì	Ì	<u> </u>	12.6	6.4	2.6		0.4	0.3		3.8	5.0	2
3	7.0	l	5.1	11.0	6.1	2.2				0.5		5 · 2	3
4	ŀ		7.8	11.2			1 · 2	0.4	1.1		7.7	6.7	4
5	9.5	6.0	10.0	8.2		8.4	0.8	0.8	1.0			6.3	5
6	ŀ	l	10.5			5.2		1.4	1.0		12.3	6.8	6
7	7.5	1	12.4	3.5	1			1.3	1.2		9.3		7
8	6.0	l		2.8			2.3	1.8	2.0	5.7	11.0		8
9				2.4	Ì '			1.6		10.5			9
10		6.8		2.2	3.3	2.4	2.1	1.3				3.4	10
11		ł		3 · 1		2.5		1.7	1.5		5.0		11
12	3.3	2.0								13.3	•		12
13	3.0	3.5	3.1		.	4.7	2.0	2.1		13.0		2.3	13
14	2.3	4 · 1				5.5	2.1		4.8				14
15				3.4	1 · 2	6.2				10.6	2.2	0.5	15
16					0.7	6.3		16	6.6	5.8	1	1.2	16
17		1 · 3	0.7	1	0.7	6.1		1.7			3.3		17
18	0.6			1 · 4	0.8		2.1			4.2	l	1.8	18
19					2.0	6.7	1 · 4	9⋅8	4.3	3.0	1	1.7	19
20	0.3				0.7	Ì	2.8	13.5	4.0	2.5		1.5	20
21		1.8		1 · 2	2.0	6.1	7.5	7.5		1.2	0.4		21 22
22	1.6	28	n	2 · 1	3.6	8.1	10 · 4	6.4		02	2.3	1.1	23
23	1 · 5	2.0		4.2		16.2			1.1	0.3	l		24
24	1.8	1.0	8.8		8.3	17 · 2		1.0	0.7	0.6	5.1		5
25				5 · 1			12.0		03	0.8	l	0.1	26
26	n				13.0		8.3	f		1.7	5.1	3·1 3·5	27
27	3.8	1.5	5.4	3.7	19.0		7.5	f		3.6	4.4	3.5	28
28		1.8	n ·	3.8	19.6		4.9	0.1	1.0				29
29	4.0		6.0	5.4	17 · 3	6.0	4.0		0.8				30
30				4.3	11 - 0			0.1		3.2		n	31
31	2 · 4		7.4		7.4		1 · 2	0.2		5.2			
										4.3	5.8	3 3	
Paily Means	3.6	3.1	7.0	5.0	6.8	6.8	5.1	2.4	2.0	4.3	13.0	-تـــا	<u> </u>

PRESENTATIONS TO THE LIBRARY, 1916.

An asterisk (*) indicates that the work is an excerpt.

Algiers, Observatoire:

Carte photographique du Ciel. 14 Charts. Zone—1°, + 1°, + 3°. (N.A. Office, Dr. Cowell).

Allegheny Observatory of the University of Pittsburg:

Publications. Vol. 3. No. 22-23. Observatory.)

Arctowski (Henryk):

- -: *Notice sur Quelques Relations Numériques entre Facules et Taches Solaires.
- -: *Recherches sur les Variations du Rapport entre Facules et Taches Solaires. (Author).

Barcelona, Estación Sismica del Observatorio Fabra:

Current Seismic Registers. (Observatory.)

Barcelona, Sociedad Astronómica:

Boletin Mensual, 1916.

(Society.)

Batavia, Royal Magnetical and Meteorological Observatory:

-: Meteorological and Magnetical Observations, 1912.

- —: Observations made at Secondary Stations in Netherlands. East India. Vol. 2 (1912); Vol. 3 (1913).
- -: Regenwaarnemingen in Nederlandsch-Indie, 1913, 1914.
- -: Verhandelingen, No. 3, 4.
 Current Seismological Bulletins. (Observatory.)

Bauer (L. A.):

-: *Our Earth a Great Magnet.

-: Report on Results of Comparisons of the Stonyhurst College Observatory Magnetic Instruments with Standards, September, 1915. (Author.)

Bauer (L. A.), and Fisk (H. W.):

*On the Results of some Magnetic Observations during the Solar Eclipse of August 21st, 1914. (Authors.)

Bilt (J. v. d.):

The Variable Stars R. Sagittæ, V. Vulpecuke, R. V. Tauri.
(Author).

Birmingham and Midland Institute, Edgbaston Observatory:

Records of Meteorological Observations, 1915. (Observatory.)

Blackburn Free Library, Museum, &c.:

Report of the Committee, 1915—1916.

(Librarian.)

Bolivia, Observatorio del Colegio San Calixto:

- —: Boletín Mensual del Observatorio Meteorológico, December, 1915.
- -: Boletín Sismico, 1915, 1916. (Observatory.)

Bolton Corporation Observatory:

Monthly Meteorological Summaries, 1916. (Observatory.)

Bordeaux, Observatoire:

- -: Catalogue photographique du Ciel: Coordonnées rectilignes.
 Tome 4. zone + 13° à + 15°.
- —: Carte Photographique du Ciel. 51 Charts.

 Zone + 12°, + 14°, + 16°. (N.A. Office, Dr. Cowell.)

British Association for the Advancement of Science:

- -: Twentieth Report on Seismological Investigations, 1915.
- —: Bulletin (of the Seismological Committee) for February and March, 1915.
- -: Report for the Year 1915. (Association.)

Buenos Aires, Argentine Meteorological Office:

- -: Argentine Meteorological Service: History and Organization.
- —: Anales. Tomo 15, 1, 2; 17, 1, 2.
- —: Boletín, No. 4, 5. —: Boletín Mensual, Año 1, Núm. 1, 2.

(Office.)

Burgos, Observatorio Colegio Maximo:

Observaciones Meteorológicas, 1915.

(Observatory.)

Burns (Kevin) Meggers (W. F.) and Mervill (Paul W.):

•Interference Measurements of Wave-Lengths in the Iron Spectrum. (Authors.)

California, Observatory of Santa Clara University:

- —: "The Sunspot." Vol. 1, No. 11, 12; Vol. 2, No. 1—6.
- -: Current Seismological Bulletins. (Observatory.)

Cambridge University, Solar Physics Observatory:

Third Annual Report of the Director, 1915-16. (Observatory.)

Canada, Department of Marine [etc.]:

—: Results of Meteorological, Magnetical, and Seismological Observations, 1914, and 1915.

--: Monthly Record of Meteorological Observations in the Dominion of Canada, and the Colonies of Bermuda and Newfoundland, 1916, January—July.

-: Upper Air Investigation in Canada, Part 1.

-: Report of the Meteorological Service of Canada, 1913.

-: Toronto Magnetical Observations, 1914. (Department.)

Cape of Good Hope, Royal Observatory:

-: Independent Day-Numbers for 1916.

-: Report of His Majesty's Astronomer, 1914, 1915. (Observatory.)

Catania, R. Osservatorio Geodinamico:

Bollettino Sismico, 1915 [April—December]. (Observatory.)

Catania, Osservatorio Collegio Pennisi:

Bolletino Meteorico Mensile, 1915.

(Observatory.)

Chree (C.):

-: *Discussion of Kew Magnetic Data, especially the Diurnal Inequalities of Horizontal Force and Vertical Force, from Ordinary Days of the eleven years, 1890 to 1900.

-: *The Seventh Kelvin Lecture. Lord Kelvin and Terrestrial Magnetism. (Author.)

Cincinnati University Observatory:

Catalogue of Proper Motion Stars. Part 2. (Obse

(Observatory.)

Cleveland, Ohio, St. Ignatius College Observatory:

Seismological Bulletins, 1914, 1915, 1916.

(Observatory.)

Clitheroe, Urban, and Rural, District Council:

Annual Reports of the Medical Officer, 1915.

(Medical Officer.)

Colne Corporation:

Rainfall Summary, 1916, and 1901—1916. (C

(Corporation.)

Commission Internationale de Magnétieme Terrestre:

-: Caractère Magnétique de chaque jour des mois, 1915-16.

-: Caractère Magnétique des années, 1914, '15, et '16.

Copenhagen, Institut Météerelegique de Danemark :

Annuaire Magnétique, 1914.

(Institute,)

Copenhagen University Observatory:

Publications. No. 23-25.

(Observatory.)

Córdoba, Observatorio Nacional Argentino:

Catálogo de las Zonas de Exploración, Entrega 4, - 52º á - 62º. (Observatory.)

Dearborn Observatory of Northwestern University:

Annals, Vol. 1.

(Observatory.)

De Bilt, Koninklijk Nederlandsch Meteorologisch Instituut:

- : Annuaire, A. Météorologie, B. Magnétisme Terrestre, 1913, 1914.
- -: Ergebnisse Aerologischer Beobachtungen, 1913.

-: Mededeelingen en Verhandelingen: 18, 19, 20.

-: Perturbations Magnétiques, 1914, 1915. (Institute.)

Duffield (W. G.), and Waller (Mary D.):

*The Consumption of Carbon in the Electric Arc. No. 3, The Anode Loss.

(Authors.)

Edinburgh, Royal Observatory:

Twenty-sixth Annual Report of the Astronomer Royal for Scotland, 1915—16. (Observatory.)

Egypt, Survey Department:

The Magnetic Survey of Egypt and the Sudan. (Department.)

Falmouth Observatory:

Report, etc., for the year 1915.

(Observatory).

France. Observatoire de Bourges :

-: "La Revue Verte," No. 1, 1916, Oct.

-: "La Revue du Ciel," No. 2, 3, 1916, Nov. Dec. (Observatory.)

Granada, Observatorio de Cartuja:

-: Bulletins, Meteorological and Seismological, 1916.

-: *Essai de quelques formules aux tremblements de terre de Messina et Avezzano. (Observatory.)

Greenwich, Royal Observatory:

-: *Mean Areas and Heliographic Latitudes of Sun-Spots, 1914.

--: Astronomer Royal's Report.....1916.

-: Clock Star List, 1917. (Observatory.)

Guildford, Surrey, Seismograph Station:

Annual Report, 1915.

(Observatory.)

Habana, Observatorio de Montserrat :

Observaciones Meteorológicas de 1915.

(Observatory.)

Harvard College Astronomical Observatory:

—: Annals. Vol. 73, pt. 2, 3; 76, No. 10, 11, 12; 80, No. 2, 3; 84, No. 1.

Vol. 73, pt. 2, 3. Blue Hill Meteorological Observations.

,, 76, No. 10. Photographic magnitudes of polar stars.

., 11. The light curve of Nova Geminorum.

12. Magnitudes of the Cape photographic Durchmusterung.

,, 80. 2. Photographic plates showing faint stars.

3. Illustrations in Harvard Annals.

,, 84. 1. Photographic observations of seven circumpolar variables.

-: Seventieth Annual Report of the Director, 1915.

—: Circular, No. 189—198.

-: Bulletin, No. 585-613. (Observatory.)

Hongkong Royal Observatory:

—: Monthly Meteorological Bulletins for 1916.

-: Director's Report for the year 1915.

-: Further Experiments with the Electric Sidercal Clock.

-: The Climate of Hongkong. (Observatory.)

Hyderabad, Nizamiah Observatory:

-- :*Comparison of the Bordeaux, Washington, and Algiers Catalogues.

-:*The Distribution in Space of the Stars in Zone + 25° of the Oxford Astrographic Catalogue.

--: Director's Report, 1915-1916.

(Observatory.)

India, Meteorological Department of the Government:

-: Director's Report, Bombay and Alibag Observatories, 1915.
-: Memoirs, Vol. 21, pt. 13, 14. (Department.)

Johannesburg, Union Observatory:

Circular, No. 33, 34, 35.

(Observatory'.)

Kasan, Kaiserl. Universitäts-Sternwarte:

-: Bulletin, de l'observatoire Météorologique, 1915. (Observatory.)

Kodaikanal and Madras Observatories:

-: Annual Report of the Director for 1915.

-: Bulletin, No. 49-52. (Observatory.)

Lancaster Astronomical and Scientific Association:

Annual Report, Session 1915-16.

(Neville Holden.)

Lancaster County:

Monthly Rainfall at Huntroyde. 1916.

(E. G. Howsin.)

Lancaster, County Palatine of:

Report of the Medical Officer, 1915.

(Medical Officer.)

La Plata, Observatorio Astronómico Universidad Nacional:

Resultado de las Observaciones en la Zona - 57° a - 61°. Tomo 2. (Observatory.)

Lick Observatory, University of California:

--: Bulletin, No. 276-287.

-: Registration of Earthquakes at the Berkeley and Lick Observatory Stations, 1915—1916. (Observatory.)

Lisbon, Observatório "Infante D. Luis":

Resumo das observações meteorológicas feitas nas estações do continente e dos arquipélagos da Madeira e Cabo Verde, 1915—16. (Observatory.)

Liverpool Observatory, Bidston:

Director's Report, 1915.

(Observatory.)

Lockyer (Sir Norman), and Goodson (H. E.):

*On the Oxy-hydrogen Flame Spectrum of Iron. (Authors.)

London, Meteorological Office:

- —: Daily Readings, 1915, at Meteorological Stations of the 1st and 2nd orders.
- -: Eleventh Annual Report of the Meteorological Committee, 1916.
- -: Earthquake Bulletins, 1916, Eskdalemuir, Scotland.
- —: The Weather Map. (Office.)

London, Royal Botanic Society:

The Botanical Journal, Vol. 4, No. 4; Vol. 5, No. 1, 2. (Society.)

London, Royal Meteorological Society:

Quarterly Journal of. Vol. 42. No. 177—180. (Society.)

Manchester, Municipal School of Technology:

Report of the Godlee Observatory for 1913, 1914, 1915. (Princital.)

Manila, Philippine Central Weather Bureau:

- -: Monthly Bulletins, Meteorological and Seismological, 1915-16.
- -: Annual Report, 1913, pt. 3; 1914, pt. 3; 1915, pt. 1, 2.
- -: *Earthquakes in the Batan Islands, May and July, 1915.
- -: *Catalogue of Philippine Earthquakes, 1915. (Observatory.)

Marseilles Observatory:

Journal des Observateurs, Vol. 1, Numéro 1—13. (Observatory.)

Mascart (M. Jean):

-: Exposition Internationale de Lyon, 1914.—La Science à l'Exposition. (Author.)

Mauritius, Royal Alfred Observatory:

Results of Magnetical, Meteorological and Seismological Observations, 1915—1916. (Observatory.)

Melbourne Commonwealth Bureau of Meteorology:

- -: Australian Monthly Weather Report, Vol. 3, No. 12, 13; Vol. 4, 1, 2.
- -: Results of Rainfall Observations made in N.S. Wales, 1909-
- -: Rain Map of Australia for 1915.
- -: Bulletin No. 11-13. (Bureau.)

Melbourne Observatory:

- -: Reports of the Board of Visitors and of the Government Astronomer for the Years 1906 to 1915.
- -: Results of Observations in Meteorology and Terrestrial Magnetism made at Melbourne and other Stations in Victoria, 1902—1907. (Observatory.)

Mexico, Observatorio Meteorológico Merida:

Boletin Mensual, 1914—1915.

(Observatory.)

Mexico, Observatorio Meteorológico Magnético Central:

Boletin Mensual, 1914, [May-December.] (Observatory.)

Mexico, Sociedad Cientifica "Antonio Alzate":

Memorias y Revista, Vo. 33, 11-12; 34, 1-10. (Society.)

Milan, Reale Osservatorio di Brera:

- -: Oscillazioni Periodiche e Previsione della Pressione Atmosferica.
- —: Osservazioni Meteorologiche e Geofisiche, 1915. (Observatory.)

Missouri University, Laws Observatory:

Bulletin, No. 22-25.

(Observatory.)

Moncalieri, Osservatorio del R. Collegio Carlo Alberto:

Current Bulletins, Meteorological and Seismological.
(Observatory.)

Montecassino, Meteorico-Aerologico-Geodinamico:

Bollettino Mensile, 1915—1916.

(Observatory.)

Mount Wilson Solar Observatory, California:

- -: *Communications to the National Academy of Sciences, No. 18-36.
- -: *Contributions, No. 108-123,
- -: *Annual Report of the Director, 1915. (Carnegie Institution.)

Naples, Osservatorio Pio X. in Valle di Pompei :

- -: Sezione Meteorica.-Riassunto dell'Anno 1914.
- -: Bollettino Meteorico-Geodinamico, 1915-16. (Observatory.)

National Physical Laboratory:

Report for the year 1915—16.

(The Director.)

New York, Meteorological Observatory:

- -: Hourly Readings, 1916, Draper Self-Recording Instruments.
- —: Report for the Year 1916. (Observatory.)

Osaka Meteorological and Seismological Observatory:

Annual Report, 1915, Part 1, 2.

(Observatory.)

Ottawa, Dominion Observatory:

- -: Publications, Vol. 2, No. 10-15; Vol. 3, No. 1-7.
- -: *The Scientific Work of the Government, by Otto Klotz.
- -: *Prince Boris Galitzin, by Otto Klotz. (Observatory.)

Oxford. Radcliffe Observatory:

Results of Meteorological Observations, 1911—15; and of Underground Temperatures, 1898—1910. (Observatory.)

Paris, Bureau Central Météorologique de France :

Bulletin Mensuel, 1915.

(Bureau.)

Paris, Observatoire:

- -: Carte photographique du Ciel. 23 Charts. Zone + 18°, + 20°.
- : Catalogue Photographique du Ciel. Coordonnées rectilignes.
 Tome 4. Zone + 20° à + 22°.
- -: Rapport Annuel.....1914, 1915. (Observatory.)

Paris. Société Météorologique de France :

Bulletin des Publications Nouvelles de la Librairie Gauthier-Villars et Cie., 1916. (Society.)

Patagonia, Punta Arenas, Observatorio del Colegio San José:

Monthly Meteorological Bulletins, 1915--16. (Observatory.)

Registrar-General:

Quarterly Returns of Marriages, etc., 268-271. (Reg. General.)

Riccò (Annibale):

*" Astronomia "

(Author.)

Rigge (W. F.):

*The California Meeting of the American Astronomical Society.

(Author.)

Rome, Specola Astronomica Vaticana:

Catalogo Astrografico, 1900.0 Vol. 2. + 63°. (Observatory.)

San Fernando, Observatorio de Marina:

Current Seismic Registers.

(Observatory.)

Scottish Meteorological Society:

Journal of. Vol. 17, 1915.

(Society.)

Scottish Provident Institution:

Star Maps, 1917.

(Institution.)

Sidmouth, S. Devon, The Hill Observatory:

Bulletin No. 5. Catalogue of 287 of the fainter Stars, Classified according to their Chemistry and Temperature. (Observatory.)

Southport, Fernley Meteorological Observatory:

Report and Results of Observations, 1915. (Observatory.

Stockholm, K. Svenska Vetenskaps Akademie:

- —: Tables for the Computation of the Jupiter-Perturbations of Asteroids with a mean daily Motion in the Vicinity of 1050".
- -: Über die Beziehungen zwischen Luftdrucksgradient, Wind und Reibung bei stationärer, geradliniger Bewegung.
- -: Arkiv för matematik, astronomi och fysik. Bd. 10: 4; 11: 1-3.
- -: Die totale Sonnenfinsternis am 21 Aug., 1914, von K. Bohlin.
- -: Quelques Recherches sur les Centres D'Action de L'Atmosphère.
- : Appendice aux Observations Météorologiques Suédoises, 1914.
- -: Observations Météorologiques Suédoises, 1914. (Academy.)

Sydney, Riverview College Observatory:

— : Seismological Bulletins, 1915, December ; 1916, January. — : Special Bulletin (Constants of 1915, Dec., 16). (Observatory.)

Tacubaya, Observatorio Astronómico Nacional:

Anuario.....para el año de 1916.

--: Boletin, Numero 5.

(Observatory.)

Texas, U.S.A., Carothers Observatory:

- -: Auxiliary Bulletin, Solar, No. 1.
- -: Ditto, Weather, No. 1.

(Observatory.)

Tortosa, Observatorio de Física Cósmica del Ebro:

Boletín Mensual, 1915.

(Observatory.)

Toulouse, Observatoire:

Carte photographique du Ciel. 17 Charts. Zone + 5°, + 7°, + 9°. (N. A. Office, Dr. Cowell.)

Turin, Società Meteoroi, Italiana:

Bolletino Bimensuale, Vol. 34, 5—12; 35, 1—2. (Society.)

Upsala, Observatoire Météorologique de l'Université:

Bulletin Mensuel. Vol. 47, 1915.

(Observatory.)

Utrecht, Observatoire Astronomique:

Recherches Astronomiques, VI.

(Observatory.)

Washington, Carnegie Institution:

List of Publications of the Department of Terrestrial Magnetism. (Institution.)

Washington, Department of Commerce:

*The Damping of Waves and other Disturbances in Mercury. (Department.)

Washington, Hydrographic Office:

- -: Monthly Pilot Charts, N. Atlantic Ocean, 1916.
- -: Monthly Pilot Charts, N. Pacific Ocean, 1916.
- —: Monthly Pilot Charts, Central American Waters, 1915, 1916. —: Monthly Pilot Chart of the Indian Ocean for July, 1916.
- -: The Circulation in the N. and S. Atlantic Oceans. (Supplement to the Pilot Chart of the N. Atlantic Ocean.) (Office.)

Washington, Library of Congress:

- : Guide to the Law of Spain.
- -: Classification: Class A, General Works, Polygraphy; "G.R." and "G.T.," completion of Class G.; "H.T.," completion of Class H.
- -: A List of American Doctoral Dissertations, printed in 1913.
- -: A List of American Doctoral Dissertations, printed in 1914.
- —: Classification: Class C.

(Library.)

Washington, National Academy of Sciences:

Memoirs, Vol. 12, pt. 2; 13; 14" first memoir." (Academy)

:	shington, Si Arequipa I The Pyra Radiation.	Pyrhelion inometer	netry, by C.		Measuring Sky					
:	*On the Di	stributio	n of Radia Solar Variab		e Sun's Disk, and					
:	Annual Re			,	(Institution.)					
:	shington, U Monthly W Weather F	Veather F	Review, 1910	Agriculture: 3, January— ited States.	-July. • (Department.)					
		n of the T			to the Adjustment					
:	 of Triangulation. : Distribution of the Magnetic Declination in the United States for January 1, 1915. 									
:	-: Latitude Observations with Photographic Zenith Tube at Gaithersburg, M.D.									
-:	 Determination of the Difference in Longitude between each two of the Stations Washington, Cambridge, and Far Rock- 									
:	Triangulat	ion along	g the Colun n California	nbia River a	and the Coasts of					
-:	Triangulati Illinois, and	ion in W	Vest Virgini	a, Ohio, Ke	entucky, Indiana,					
:	Results of	Magnetic	Observatio	ns,19	914 1915.					
-:	,,	,,	,,	near H	onolulu, Hawaii, 3—14.					
:	,,	"	**		i, Alaska, 1913,					
:	**	",	,,	1913	ues, Porto Rico, 3, 1914.					
-:	,,	,,	**		nham, 1913, 1914.					
 :	**	**		near Tuc 1914	son, Arizona, 1913 I.					
-:	Annual Rep	ort of th	e Superinter		(Superintendent.)					
Was	hington, U.	S. Naval	Observator	v						
-:	Nine-Inch	Transit (ircle Obser	vations, 190	3—1908.					
-:	Annual Rep	ort for t	he fiscal vea	r 1916.	(Observatory.)					
	Ka-Wei Obse			- 10101	(2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2					
-:	The Typho	on of Ind	v 28th 191	5 and its Ef	fects at Shanghai.					
-:	Bulletin de	s Observa	stions 1911	Mété	orologie.					
-:	•			Sisme	ologie.					
-:	Observation Pang, 1911.	ıs Magné	tiques faite	s à l'Observa	ologie. atoire de Lu-Kia-					
-:	Etude Pho	tographic	que des Tac	hes Solaires	s, par le R. P. S. l'Observatoire de					
	20-Se. Tom	ie 9. 191.	3).	annaics de	i Observatorie de					
_:	Revue Men	snelle 19	11516							
:	Bulletin Sis	mique, 1	915—16.		(Observatory.)					

